

WASHERS

AN960 FLAT WASHERS



AN960 flat washers are used under hex nuts to provide a smooth bearing surface, as shims to obtain the correct grip length for a bolt and nut assembly, and to adjust the position of AN310 and AN320 castle nuts with respect to drilled cotter pin holes in bolts and clevis pins. Available in cadmium plated steel or anodized aluminum, and in regular and light thickness. Add the letter "L" to dash number to indicate light series. For anodized aluminum washers, add the

letters "PD" after AN number.

Examples: AN960-416L is a light series cadmium plated steel washer for 1/4" dia. bolt. AN960PD-10 is an anodized aluminum washer for a 3/16" dia. bolt. AN960PD-10L is a light series anodized aluminum washer for a 3/16" dia. bolt.

NSWC FLAT WASHER KIT - Contains: • Flat AN960-916 (12 qty) • Flat AN960-616L (4 qty) • Flat AN960-416 (40 qty) • Flat AN960-716L (8 qty) • Flat AN960-616 (40 qty) • Flat AN960-816 (32 qty) • Flat AN960-816L (32 qty) P/N 04-01728..... **\$7.50**



AN970 FLAT WASHERS

Manufactured of carbon steel, cadmium plated per QQ-P-416C, Type II, Class 2. They provide a greater bearing area than AN960 washers. Used on wooden structures under both the head of the bolt & the nut to prevent crushing the surface. Part numbers with a "C" are stainless steel.

Dash No.	Bolt Size	O.D. (In.)	I.D. (In.)	Thk (In.)	Price Each	Price per 100
-3	3/16"	.875	.203	.063	\$0.08	\$6.40
-4	1/4"	1.125	.265	.063	\$0.10	\$8.00
-C4	1/4"	1.125	.265	.063	\$0.73	---
-5	5/16"	1.375	.328	.063	\$0.17	\$13.60
-C5	5/16"	1.375	.328	.063	\$0.65	---
-6	3/8"	1.625	.390	.063	\$0.21	\$16.80
-7	7/16"	1.812	.453	.109	\$0.47	\$37.60
-8	1/2"	2.000	.515	.109	\$0.53	\$42.40
-10	5/8"	2.375	.640	.125	\$0.88	\$70.40

HA

Dash #	Bolt or Screw Size	O.D. (In.)	I.D. (In.)	Thickness steel		Thickness Aluminum		Price	
				Light	Regular	Light	Regular	Steel each	Alum. each
-4	No. 4	.312	.125	.016	.032	.016	.032	\$0.02	\$0.04
-6	No. 6	.375	.149	.016	.032	.016	.032	\$0.02	\$0.03
-8	No. 8	.375	.174	.016	.032	.016	.032	\$0.02	\$0.04
-10	No. 10	.438	.203	.032	.063	.032	.063	\$0.02	\$0.05
-416	1/4"	.500	.265	.032	.063	.016	.063	\$0.03	\$0.06
-516	5/16"	.562	.328	.032	.063	.016	.063	\$0.04	\$0.08
-616	3/8"	.625	.390	.032	.063	.016	.063	\$0.04	\$0.09
-716	7/16"	.750	.453	.032	.063	.016	.063	\$0.05	\$0.12
-816	1/2"	.875	.515	.032	.063	.016	.063	\$0.06	\$0.15
-916	9/16"	1.062	.578	.032	.063	.016	.063	\$0.09	\$0.55
-1016	5/8"	1.118	.640	.032	.063	----	----	\$0.12	----
-1216	3/4"	1.312	.765	.032	.090	----	----	\$0.23	----

AN960C STAINLESS WASHERS

Size	Regular		Light	
	Part No.	Price Ea.	Part No.	Price Ea.
4	AN960C4	\$0.03	AN960C4L	\$0.03
5	----	---	----	---
6	AN960C6	\$0.03	AN960C6L	\$0.03
8	AN960C8	\$0.03	AN960C8L	\$0.03
3/16	AN960C10	\$0.05	AN960C10L	\$0.04
1/4	AN960C416	\$0.06	AN960C416L	\$0.04
5/16	AN960C516	\$0.09	AN960C516L	\$0.03
3/8	AN960C616	\$0.09	AN960C616L	\$0.05
7/16	AN960C716	\$0.10	AN960C716L	\$0.09
1/2	AN960C816	\$0.17	AN960C816L	\$0.09
9/16	AN960C916	\$0.23	AN960C916L	\$0.14
5/8	AN960C1016	\$0.62	AN960C1016L	\$0.17
3/4	AN960C1216	\$0.76	----	----



NAS620 FLAT WASHERS

MIL-SPEC designations for flat washers, NAS620. Covered by military procurement specification FF-W-92 which has, as minimum requirements.

1. Chemical analysis
2. Process certification on protective finish
3. Workmanship
4. Magnetic permeability (stainless steel only)

Description	Part Number	Price
NAS620-4	NAS620-4	\$0.03
NAS620-6	NAS620-6	\$0.03
NAS620-6L	NAS620-6L	\$0.03
NAS620-8	NAS620-8	\$0.04
NAS620-8L	NAS620-8L	\$0.03
NAS620-10	NAS620-10	\$0.05
NAS620-10L	04-00854	\$0.04



MS15795 FLAT WASHERS

Material - 300 Series Stainless Steel
Finish - Passivate Per Astm A380

MS15795 Dash No.	O.D. (in.)	I.D. (in.)	Thickness	Price
MS15795-802	0.094	2.50	0.020	\$0.02
MS15795-803	0.125	0.250	0.022	\$0.02
MS15795-805	0.156	0.312	0.035	\$0.02
MS15795-806	0.156	0.375	0.049	\$0.03
MS15795-807	0.188	0.375	0.049	\$0.03
MS15795-808	0.219	0.438	0.049	\$0.03



NAS43HT4 SPACERS

NAS43HT4 Spacers.
Material - 4130 Steel Alloy

Manufacturer	Length	Part No.	Price
NAS43HT4-9	0.1406 = 9/64	06-02534	\$0.83
NAS43HT4-16	0.250 = 1/4	06-02529	\$1.10
NAS43HT4-22	0.34 = 11/32	06-02530	\$1.30
NAS43HT4-28	0.4375 = 7/16	06-02531	\$0.99
NAS43HT4-43	0.6718 = 43/64	06-02532	\$1.25
NAS43HT4-46	0.71875 = 23/32	06-02533	\$1.55