



## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

**Initial Preparation Date:** 03.20.2015

Page 1 of 14

**Revision date:** 03.25.2024

**1307 LV Epoxy Resin**

### SECTION 1: Identification

#### Product Identifier

**Product Name:** 1307 LV Epoxy Resin

**Product code:** 1307LV

#### Recommended Use of the Product and Restriction on Use

**Relevant Identified Uses:** EPOXY SYSTEM - Resin Component

**Uses Advised Against:** Not determined or not applicable.

**Reasons Why Uses Advised Against:** Not determined or not applicable.

#### Manufacturer or Supplier Details

**Manufacturer:**

**United States**

Rhino Linings Corporation  
9747 Businesspark Avenue  
San Diego, CA 92131  
858-450-0441  
www.rhinolinings.com

#### Emergency Telephone Number:

**North America**

CHEMTREC  
800-424-9300 (24/7)


### SECTION 2: Hazard(s) Identification

#### GHS Classification:

Acute toxicity (oral), category 4  
Acute toxicity (dermal), category 4  
Acute toxicity (inhalation), category 4  
Skin irritation, category 2  
Eye irritation, category 2A  
Skin sensitization, category 1  
Acute aquatic hazard, category 2  
Chronic aquatic hazard, category 2

#### Label elements

##### Hazard Pictograms:



**Signal Word:** Warning

#### Hazard statements:

H315 Causes skin irritation

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 03.20.2015

Page 2 of 14

Revision date: 03.25.2024

### 1307 LV Epoxy Resin

H319 Causes serious eye irritation  
H317 May cause an allergic skin reaction  
H302 Harmful if swallowed  
H312 Harmful in contact with skin  
H332 Harmful if inhaled  
H411 Toxic to aquatic life with long lasting effects  
H401 Toxic to aquatic life

#### Precautionary Statements:

P201 Obtain special instructions before use  
P202 Do not handle until all safety precautions have been read and understood  
P261 Avoid breathing dust, fumes, gas, mist, vapors or spray.  
P264 Wash any exposed skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product  
P271 Use only outdoors or in a well-ventilated area  
P272 Contaminated work clothing must not be allowed out of the workplace  
P280 Wear protective gloves, protective clothing, eye protection and face protection.  
P273 Avoid release to the environment  
P301+P312 IF SWALLOWED: Call a POISON CENTER or physician if you feel unwell.  
P330 Rinse mouth  
P302+P352 IF ON SKIN: Wash with plenty of water and soap.  
P333+P313 If skin irritation or rash occurs: Get medical advice or attention.  
P321 Specific treatment (see Sections 4-8 of this SDS and any supplemental information on the product label).  
P362 Take off contaminated clothing and wash it before reuse  
P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P337+P313 If eye irritation persists: Get medical advice/attention.  
P391 Collect spillage  
P405 Store locked up  
P501 Dispose of contents and container in accordance with local, regional, national, and international regulations.

**Hazards Not Otherwise Classified:** None

### SECTION 3: Composition/Information on Ingredients

Identification	Name	Weight %
CAS Number: 25068-38-6	4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	75-85
CAS Number: 9003-36-5	Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	5-15
CAS Number: 2461-15-6	2-(2-ethylhexoxymethyl)oxirane	1-5
CAS Number: 100-51-6	Benzyl Alcohol	1-5

#### Additional Information:

Specific chemical identity and/or exact percentage (concentration) of each ingredient may be held as

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

**Initial Preparation Date:** 03.20.2015

Page 3 of 14

**Revision date:** 03.25.2024

### 1307 LV Epoxy Resin

confidential business information (CBI). Any ingredient not disclosed in this section may have been determined not to be hazardous to health or the environment, or it may be present at a level below its disclosure threshold.

#### SECTION 4: First Aid Measures

##### Description of First Aid Measures

###### General Notes:

Show this Safety Data Sheet to the doctor in attendance.

###### After Inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If symptoms develop or persist, seek medical advice/attention.

###### After Skin Contact:

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention.

###### After Eye Contact:

Rinse eyes with plenty of gently flowing lukewarm water for 15 minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention.

###### After Swallowing:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

##### Most Important Symptoms and Effects, Both Acute and Delayed

###### Acute Symptoms and Effects:

Acute oral exposure may lead to dizziness, drowsiness, headache, breathing difficulties, nausea, vomiting, abdominal pain, and lowering of consciousness. Adverse effects are dependent on exposure (dose, concentration, contact time).

Acute dermal exposure may lead to dizziness, drowsiness, headache, breathing difficulties, nausea, vomiting, abdominal pain, and lowering of consciousness. Adverse effects are dependent on exposure (dose, concentration, contact time).

Eye contact may result in irritation, redness, pain, inflammation, itching, burning and tearing.

Acute inhalation exposure may lead to dizziness, drowsiness, headache, breathing difficulties, nausea, vomiting, abdominal pain, and lowering of consciousness. Adverse effects are dependent on exposure (dose, concentration, contact time).

###### Delayed Symptoms and Effects:

Effects are dependent on exposure (dose, concentration, contact time).

Symptoms of exposure may be delayed.

##### Immediate Medical Attention and Special Treatment

###### Specific Treatment:

Not determined or not applicable.

###### Notes for the Doctor:

Treat symptomatically.

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 03.20.2015

Page 4 of 14

Revision date: 03.25.2024

### 1307 LV Epoxy Resin

#### SECTION 5: Firefighting Measures

##### Extinguishing Media

###### Suitable Extinguishing Media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

###### Unsuitable Extinguishing Media:

Do not use water jet.

##### Specific Hazards During Fire-Fighting:

Thermal decomposition may produce irritating/toxic fumes/gases.

##### Special Protective Equipment for Firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

##### Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts.

Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers.

Avoid unnecessary run-off of extinguishing media which may cause pollution.

#### SECTION 6: Accidental Release Measures

##### Personal Precautions, Protective Equipment, and Emergency Procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Avoid contact with skin, eyes and clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling.

##### Environmental Precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

##### Methods and Material for Containment and Cleaning Up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

##### Reference to Other Sections:

For personal protective equipment see Section 8. For disposal see Section 13.

#### SECTION 7: Handling and Storage

##### Precautions for Safe Handling:

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

##### Conditions for Safe Storage, Including Any Incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10). Recommended storage temperature: 10-35°C (50-95°F)

#### SECTION 8: Exposure Controls/Personal Protection

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 03.20.2015

Page 5 of 14

Revision date: 03.25.2024

### 1307 LV Epoxy Resin

Only those substances with limit values have been included below.

#### Occupational Exposure Limit Values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
WEEL	Benzyl Alcohol	100-51-6	8-Hour TWA: 44.2 mg/m <sup>3</sup> (10 ppm)

#### Biological Limit Values:

No biological exposure limits noted for the ingredient(s).

#### Information on Monitoring Procedures:

Not determined or not applicable.

#### Appropriate Engineering Controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

#### Personal Protection Equipment

##### Eye and Face Protection:

Safety glasses or goggles. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

##### Skin and Body Protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

##### Respiratory Protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

#### General Hygienic Measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

## SECTION 9: Physical and Chemical Properties

### Information on Basic Physical and Chemical Properties

Appearance	Liquid
Odor	Slightly sweet
Odor threshold	Not determined or not available.
pH	Not determined or not available.
Melting point/freezing point	Not determined or not available.
Initial boiling point/range	>200°C (>392°F)
Flash point (closed cup)	>200°C (>392°F)
Evaporation rate	Not determined or not available.

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 03.20.2015

Page 6 of 14

Revision date: 03.25.2024

### 1307 LV Epoxy Resin

<b>Flammability (solid, gas)</b>	Not determined or not available.
<b>Upper flammability/explosive limit</b>	Not determined or not available.
<b>Lower flammability/explosive limit</b>	Not determined or not available.
<b>Vapor pressure</b>	Not determined or not available.
<b>Vapor density</b>	Not determined or not available.
<b>Density</b>	Not determined or not available.
<b>Relative density</b>	Not determined or not available.
<b>Solubilities</b>	Not determined or not available.
<b>Partition coefficient (n-octanol/water)</b>	Not determined or not available.
<b>Auto/Self-ignition temperature</b>	Not determined or not available.
<b>Decomposition temperature</b>	Not determined or not available.
<b>Dynamic viscosity</b>	Not determined or not available.
<b>Kinematic viscosity</b>	Not determined or not available.
<b>Explosive properties</b>	Not determined or not available.
<b>Oxidizing properties</b>	Not determined or not available.

### SECTION 10: Stability and Reactivity

**Reactivity:**

Not reactive under recommended handling and storage conditions.

**Chemical Stability:**

Stable under recommended handling and storage conditions.

**Possibility of Hazardous Reactions:**

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

**Conditions to Avoid:**

Avoid confined spaces, extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

Generation of gas during decomposition can cause pressure in closed systems. Pressure build-up can be rapid.

**Incompatible Materials:**

Strong oxidizing agents, acids, alkalis, amines, mercaptans.

**Hazardous Decomposition Products:**

Under normal conditions of storage and use, hazardous decomposition products should not be produced. In fire conditions, depending on temperature, air supply and presence of other materials, decomposition products can include, but are not limited to carbon, nitrogen and silica oxides, oxides of metals present in mixture (Section 3).

### SECTION 11: Toxicological Information

**Acute Toxicity**

**Assessment:**

Harmful if swallowed.

Harmful in contact with skin.

Harmful if inhaled.

**Product Data:** No data available.

**Substance Data:**

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

**Initial Preparation Date:** 03.20.2015

Page 7 of 14

**Revision date:** 03.25.2024

### 1307 LV Epoxy Resin

Name	Route	Result
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	oral	LD50 Rat: >2000 mg/kg
	dermal	LD50 Rat: >2000 mg/kg
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	oral	LD50 Rat: >2000 mg/kg ([read-across substance])
2-(2-ethylhexoxymethyl)oxirane	oral	LD50 Rat: > 7800 mg/kg
	dermal	LD50 Rat: > 2000 mg/kg
Benzyl Alcohol	oral	LD50 Rat: 1610 mg/kg
	inhalation	LC50 Rat: >4.178 mg/L (4 hr [aerosol])
	dermal	LD50 Rabbit: >2000 mg/kg

#### Skin Corrosion/Irritation

**Assessment:**

Causes skin irritation.

**Product Data:**

No data available.

**Substance Data:**

Name	Result
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Causes skin irritation.
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	Causes skin irritation.
2-(2-ethylhexoxymethyl)oxirane	Causes skin irritation.

#### Serious Eye Damage/Irritation

**Assessment:**

Causes serious eye irritation.

**Product Data:**

No data available.

**Substance Data:**

Name	Result
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Causes serious eye irritation.
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	Causes serious eye irritation.

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 03.20.2015

Page 8 of 14

Revision date: 03.25.2024

### 1307 LV Epoxy Resin

Name	Result
2-(2-ethylhexoxymethyl)oxirane	Causes serious eye irritation.
Benzyl Alcohol	Causes serious eye irritation.

#### Respiratory or Skin Sensitization

**Assessment:**

May cause an allergic skin reaction.

**Product Data:**

No data available.

**Substance Data:**

Name	Result
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	May cause an allergic skin reaction.
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	May cause an allergic skin reaction.
2-(2-ethylhexoxymethyl)oxirane	May cause an allergic skin reaction.

#### Carcinogenicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:** No data available.

**Substance Data:** No data available.

**International Agency for Research on Cancer (IARC):**

Name	Classification
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Not Applicable
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	Not Applicable
2-(2-ethylhexoxymethyl)oxirane	Not Applicable
Benzyl Alcohol	Not Applicable

**National Toxicology Program (NTP):**

Name	Classification
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Not Applicable

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 03.20.2015

Page 9 of 14

Revision date: 03.25.2024

## 1307 LV Epoxy Resin

Name	Classification
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	Not Applicable
2-(2-ethylhexoxymethyl)oxirane	Not Applicable
Benzyl Alcohol	Not Applicable

**OSHA Carcinogens:** Not applicable

### Germ Cell Mutagenicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:**

No data available.

**Substance Data:** No data available.

### Reproductive Toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:**

No data available.

**Substance Data:** No data available.

### Specific Target Organ Toxicity (Single Exposure)

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:**

No data available.

**Substance Data:**

Name	Result
2-(2-ethylhexoxymethyl)oxirane	May cause respiratory irritation.

### Specific Target Organ Toxicity (Repeated Exposure)

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:**

No data available.

**Substance Data:** No data available.

### Aspiration toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:**

No data available.

**Substance Data:** No data available.

### Information on Likely Routes of Exposure:

No data available.

### Symptoms Related to the Physical, Chemical, and Toxicological Characteristics:

No data available.

**Other Information:**

No data available.

## SECTION 12: Ecological Information

### Acute (Short-Term) Toxicity

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 03.20.2015

Page 10 of 14

Revision date: 03.25.2024

### 1307 LV Epoxy Resin

#### Assessment:

Toxic to aquatic life.

**Product Data:** No data available.

#### Substance Data:

Name	Result
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Aquatic Invertebrates EC50 Daphnia magna: 2 mg/L (48 hr [mobility])
	Fish LC50 Oncorhynchus mykiss: 1.2 mg/L (96 hr)
	Aquatic Plants EC50 Scenedesmus capricornutum: 9 mg/L (72 hr [biomass])
2-(2-ethylhexoxymethyl)oxirane	Fish LC50 Oncorhynchus mykiss: > 5000 mg/L (96 hr [read-across] [mortality])
	Aquatic Invertebrates EC50 Daphnia magna: 7.2 mg/L (48 hr [read-across] [mobility])
	Aquatic Plants EC50 Green Algae: 8.32 mg/L (96 hr)
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	Fish LC50 Rainbow trout: 2.0 mg/L (96 hr)
	Aquatic Invertebrates EC50 Daphnia magna: 3.5 mg/L (48 hr [mobility])
Benzyl Alcohol	Fish LC50 Pimephales promelas: 460 mg/L (96 hr)
	Aquatic Invertebrates EC50 Daphnia magna: 230 mg/L (48 hr [mobility])
	Aquatic Plants EC50 Raphidocelis subcapitata: 770 mg/L (72 hr [growth rate])

#### Chronic (Long-Term) Toxicity

##### Assessment:

Toxic to aquatic life with long lasting effects.

**Product Data:** No data available.

##### Substance Data:

Name	Result
Benzyl Alcohol	Fish NOEC Freshwater fish: 48.897 mg/L (30 d [mortality, QSAR substance data])
	Aquatic Invertebrates NOEC Daphnia magna: 51 mg/L (21 d [reproduction])

#### Persistence and Degradability

**Product Data:** No data available.

##### Substance Data:

Name	Result
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	The substance is not readily biodegradable. 5% degradation measured by O2 consumption after 28 days.
2-(2-ethylhexoxymethyl)oxirane	This substance is not readily biodegradable in water (0% degradation after 28 days, measured by Oxygen consumption ).
Benzyl Alcohol	The substance is readily biodegradable. 92 - 96% degradation in water, measured by O2 consumption after 14 days.

#### Bioaccumulative Potential

**Product Data:** No data available.

##### Substance Data:

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

**Initial Preparation Date:** 03.20.2015

Page 11 of 14

**Revision date:** 03.25.2024

### 1307 LV Epoxy Resin

Name	Result
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	The substance has low potential for bioaccumulation. BCF: 31 dimensionless (QSAR).
2-(2-ethylhexoxymethyl)oxirane	This substance has the potential to bioaccumulate in organisms (BCF: 355).
Benzyl Alcohol	The substance is not expected to bioaccumulate (log Pow= 1 at 20 °C and BCF= 1. 1.371 L/kg- QSAR data).

#### Mobility in Soil

**Product Data:** No data available.

#### Substance Data:

Name	Result
2-(2-ethylhexoxymethyl)oxirane	This substance is immobile. Adsorption to soil can be expected (estimated log Koc: 5.63).
Benzyl Alcohol	The substance is mobile, therefore, adsorption to soil is not expected (log Koc= 1.332 L/kg, QSAR substance data).

#### Results of PBT and vPvB assessment

##### Product Data:

**PBT assessment:** This product does not contain any substances that are assessed to be a PBT.

**vPvB assessment:** This product does not contain any substances that are assessed to be a vPvB.

##### Substance Data:

###### PBT assessment:

2-(2-ethylhexoxymethyl)oxirane	The substance is not PBT.
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	The substance is not PBT.
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	The substance is not PBT.
Benzyl Alcohol	The substance is not PBT.

###### vPvB assessment:

2-(2-ethylhexoxymethyl)oxirane	The substance is not vPvB.
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	The substance is not vPvB.
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	The substance is not vPvB.
Benzyl Alcohol	The substance is not vPvB.

**Other Adverse Effects:** No data available.

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 03.20.2015

Page 12 of 14

Revision date: 03.25.2024

### 1307 LV Epoxy Resin

#### SECTION 13: Disposal Considerations

##### Disposal Methods:

The generation of waste should be avoided or minimized wherever possible. If product becomes a waste, it does not meet criteria of hazardous waste as defined in 40 CFR 261, Subpart C and D. Do not discharge into sewer system. Spill cleanup residues may still be subject to RCRA storage and disposal requirements.

Dispose waste in compliance with local, state and federal regulations via licensed waste disposal contractor.

##### Contaminated packages:


Even after emptying, container may retain residues. Containers should be completely emptied and safely stored until appropriately reconditioned or disposed through licensed contractor in accordance with government regulation. This material and its container must be disposed of in a safe way.

#### SECTION 14: Transport Information

##### United States Transportation of Dangerous Goods (49 CFR DOT)

<b>UN Number</b>	Not regulated
<b>UN Proper Shipping Name</b>	Not regulated
<b>UN Transport Hazard Class(es)</b>	None
<b>Packing Group</b>	None
<b>Environmental Hazards</b>	None
<b>Special Precautions for User</b>	None
<b>Additional Information</b>	This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

##### International Maritime Dangerous Goods (IMDG)

<b>UN Number</b>	UN3082
<b>UN Proper Shipping Name</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXY RESIN)
<b>UN Transport Hazard Class(es)</b>	9 
<b>Packing Group</b>	III
<b>Environmental Hazards</b>	Marine Pollutant
<b>Special Precautions for User</b>	None

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

**Initial Preparation Date:** 03.20.2015


Page 13 of 14

**Revision date:** 03.25.2024

**1307 LV Epoxy Resin**

<b>Additional Information</b>	This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.
-------------------------------	--

**International Air Transport Association Dangerous Goods Regulations (IATA-DGR)**

<b>UN Number</b>	UN3082
<b>UN Proper Shipping Name</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXY RESIN)
<b>UN Transport Hazard Class(es)</b>	9 
<b>Packing Group</b>	III
<b>Environmental Hazards</b>	Marine Pollutant
<b>Special Precautions for User</b>	None
<b>Additional Information</b>	This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

**SECTION 15: Regulatory Information**

**United States Regulations**

- Inventory Listing (TSCA):** All ingredients are listed-active or exempt.
- Significant New Use Rule (TSCA Section 5):** None of the ingredients are listed.
- Export Notification under TSCA Section 12(b):** None of the ingredients are listed.
- SARA Section 302 Extremely Hazardous Substances:** None of the ingredients are listed.
- SARA Section 313 Toxic Chemicals:** None of the ingredients are listed.
- CERCLA:** None of the ingredients are listed.
- RCRA:** None of the ingredients are listed.
- Section 112(r) of the Clean Air Act (CAA):** None of the ingredients are listed.

**Massachusetts Right to Know:**

100-51-6	Benzyl Alcohol	Listed
----------	----------------	--------

**New Jersey Right to Know:** None of the ingredients are listed.

**New York Right to Know:** None of the ingredients are listed.

**Pennsylvania Right to Know:**

100-51-6	Benzyl Alcohol	Listed
----------	----------------	--------

**California Proposition 65:** None of the ingredients are listed.

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

**Initial Preparation Date:** 03.20.2015

Page 14 of 14

**Revision date:** 03.25.2024

**1307 LV Epoxy Resin**

**Additional information:** Not determined.

### SECTION 16: Other Information

**Abbreviations and Acronyms:** None

**Disclaimer:**

The data set forth in this sheet are based on information provided by the suppliers of the raw materials and chemicals used in the manufacture of the aforementioned product. Rhino Linings Corporation makes no warranty with respect to the accuracy of the information provided by their suppliers, and disclaims all liability of reliance thereof. Sections 11/12 Disclaimer (Toxicity/Ecotoxicity): This product itself has not been tested. Information given is based on data on the components and the toxicology of similar products. Section 14 (Transport Information): Information provided in Section 14 is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

**NFPA:** 2-1-0

**HMIS:** 2-1-0

**Initial Preparation Date:** 03.20.2015

**Revision date:** 03.25.2024

**Revision Notes:**

Revision Date	Notes
2015-03-20	
2019-10-23	Internal Review
2024-03-25	Internal Review

**End of Safety Data Sheet**