

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878

SAFETY DATA SHEET

FOR PROFESSIONAL and/or INDUSTRIAL USE ONLY

EPIKURE™ Curing Agent MGS LH 287-AIH

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name

EPIKURE™ Curing Agent MGS LH 287-AIH

SDS Number Index number 300000026110 612-110-00-1

Index number EC number CAS number

229-962-1 6864-37-5

REACH Registration number

01-2119497829-12-xxxx

Product type

Curing Agent

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use

Epoxy Resin Systems

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier/Importer

Westlake Epoxy B.V.

Seattleweg 17

3195 ND Pernis - Rotterdam

The Netherlands

Contact person Telephone epoxyservice@westlake.com

General information +31 (0)10 295 4000

1.4

Emergency telephone number

Supplier

: CARECHEM24

Telephone number

+44 (0) 1235 239 670

National advisory body/Poison

Center

: NVIC +31 (0)30-2748888, 'Uitsluitend bestemd om professionele

hulpverleners te informeren bij acute vergiftigingen'.

('Only for the purpose of informing medical personnel in cases of acute

intoxications')

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Acute Tox. 4 H302 Acute Tox. 3 H311 Acute Tox. 2 H330 Skin Corr./Irrit. 1A H314 Eye Dam./Irrit. 1 H318 STOT RE 2 H373 Aquatic Chronic 2 H411

See Section 16 for the full text of the H statements declared above.

2.2 Label elements

Hazard pictograms





Signal word

Hazard statements

Danger

Harmful if swallowed.

Toxic in contact with skin.

Causes severe skin burns and eye damage.

Fatal if inhaled.

May cause damage to organs through prolonged or repeated

exposure.

Toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention

Wear protective gloves, protective clothing and eye or face

protection.

In case of inadequate ventilation wear respiratory protection.

Use only outdoors or in a well-ventilated area.

Avoid release to the environment.

Do not breathe vapor.

Do not eat, drink or smoke when using this product.

Wash thoroughly after handling.

Response

Collect spillage.

IF INHALED:

Remove person to fresh air and keep comfortable for breathing.

Immediately call a POISON CENTER or doctor.

IF SWALLOWED:

Immediately call a POISON CENTER or doctor.

Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair):

Take off immediately all contaminated clothing. Rinse skin with

water

Immediately call a POISON CENTER or doctor. Wash contaminated clothing before reuse.

IF ON SKIN:

Call a POISON CENTER or doctor if you feel unwell.

Wash with plenty of water.

IF IN EYES:

Rinse cautiously with water for several minutes. Remove contact

Version: 3.0 Date of issue/Date of revision: 06.01.2023

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878 Page: 3/16 EPIKURE™ Curing Agent MGS LH 287-AIH

> lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

Storage

Store locked up.

Disposal

Dispose of contents and container in accordance with all local,

regional, national and international regulations.

Hazardous ingredients

2,2'-dimethyl-4,4'-methylenebis(cyclohexylamine)

Supplemental label elements

Not applicable.

2.3 Other hazards

Substance meets the criteria for **PBT** according to Regulation (EC) No. 1907/2006, Annex XIII Not listed

Substance meets the criteria for vPvB according to Regulation

Not listed

(EC) No. 1907/2006, Annex XIII

Other hazards which do not

result in classification

None known.

SECTION 3: Composition/information on ingredients

3.1 Substances

Mono-constituent substance

| Product/ingredient name | Identifiers | % | Classification | Specific Conc. Limits, M- factors and ATEs | Туре |
|--|---|-----|--|---|------|
| 2,2'-dimethyl-4,4'- methylenebis(cyclohexyl amine) | RRN: 01- 2119497829-12 EC: 229-962-1 CAS: 6864-37-5 Index: 612-110-00-1 | 100 | Acute Tox. 4, H302 Acute Tox. 3, H311 Acute Tox. 2, H330 Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT RE 2, H373 (adrenal, blood system, heart, kidneys, liver) Aquatic Chronic 2, H411 | ATE [Oral] = 500 mg/kg ATE [Dermal] = 300 mg/kg ATE [Inhalation (dusts and mists)] = 0,42 mg/l STOT RE 2, H373: >= 10 % | [1] |

See Section 16 for the full text of the H statements declared above.

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section.

Type

[1] Constituent

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

Date of issue/Date of revision: 06.01.2023 Version: 3.0

Eye contact

Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.

Inhalation

Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

Skin contact

Get medical attention immediately. Call a poison center or physician. Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Ingestion

: Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Protection of first aid personnel

No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

Eye contact

: Causes serious eye damage.

Inhalation

: Fatal if inhaled.

Skin contact Ingestion : Causes severe burns. Toxic in contact with skin.

: Harmful if swallowed.

Over-exposure signs/symptoms

Eye contact

: Adverse symptoms may include the following:

pain watering redness

Inhalation

No specific data.

Skin contact

Adverse symptoms may include the following:

pain or irritation

redness

blistering may occur

Ingestion

Adverse symptoms may include the following:

stomach pains

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician

In case of inhalation of decomposition products in a fire, symptoms

may be delayed. The exposed person may need to be kept under

Specific treatments

No specific treatment.

medical surveillance for 48 hours.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media Use dry chemical, CO2, alcohol-resistant foam or water spray (fog).

Do not use water jet.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture

In a fire or if heated, a pressure increase will occur and the container may burst. This material is toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or

drain.

Hazardous thermal decomposition products Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides

5.3 Advice for firefighters

Special protective actions for

fire-fighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving

any personal risk or without suitable training.

Special protective equipment for

fire-fighters

Fire-fighters should wear appropriate protective equipment and selfcontained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for

chemical incidents.

Additional information

Not available

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is

Date of issue/Date of revision: 06.01.2023 Version: 3.0

For emergency responders

inadequate. Put on appropriate personal protective equipment.

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions

Large spill

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.

6.3 Methods and material for containment and cleaning up

Small spill : Stop leak if without risk. Move containers from spill area. Dilute

with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an

appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses,

basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth,

vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the

same hazard as the spilled product.

6.4 Reference to other sections : See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective

equipment.

See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures : Put on appropriate personal protective equipment (see section 8 of

SDS). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Avoid release to the environment. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and

can be hazardous. Do not reuse container.

Advice on general occupational

hygiene

Version: 3.0

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene

measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10 of SDS) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

7.3 Specific end use(s)

Recommendations Industrial sector specific Not available Not available

solutions

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

No exposure limit value known. Recommended monitoring

procedures

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNEL/DMEL Summary

Not available

PNEC Summary

Not available

8.2 Exposure controls

Appropriate engineering controls

Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Individual protection measures

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

Skin protection

Date of issue/Date of revision: 06.01.2023 Version: 3.0

Hand protection : Chemical-resistant, impervious gloves complying with an approved

standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. Recommended: - butyl rubber

- gauntlet type

Body protection: Personal protective equipment for the body should be selected based

on the task being performed and the risks involved and should be

approved by a specialist before handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures

should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this

product.

Respiratory protection : Based on the hazard and potential for exposure, select a respirator

that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Environmental exposure controls : Emissions from ventilation or work process equipment should be

checked to ensure they comply with the requirements of

environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be

necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state : Liquid
Color : Bluish-grey.

Odor : Amine-like.

Odor threshold:Not available (not measured)pH:Not available (not measured)Melting point/freezing point:Not available (not measured)

Initial boiling point and boiling : Approx. 347 °C

range

Flash point : Not available (not measured)
Evaporation rate : Not available (not measured)

Upper/lower flammability or : Lower: Not available (not measured) explosive limits : Upper: Not available (not measured)

Vapor pressure : Not available (not measured)
Vapor density : Not available (not measured)
Relative density : Not available (not measured)
Density : Approx. 0,930 g/cm3

cusity - Typrom type to great

Solubility(ies) : Not available (not measured)

Solubility in water : Insoluble

Partition coefficient: n- : Not applicable.

octanol/water

Auto-ignition temperature : Not available (not measured)

Decomposition temperature : Not available (not measured)

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878 EPIKURE™ Curing Agent MGS LH 287-AIH Page:9/16

Viscosity

Dynamic: 142 mPa·s @ 20 °C (ISO 9371)

Kinematic: Not available (not measured)

Explosive properties Oxidizing properties Not available (not measured) Not available (not measured)

Particle characteristics

Median particle size

Not applicable.

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under normal conditions.

10.2 Chemical stability

The product is stable.

10.3 Possibility of hazardous

reactions

Under normal conditions of storage and use, hazardous reactions

will not occur.

10.4 Conditions to avoid

No specific data.

10.5 Incompatible materials

No specific data.

10.6 Hazardous decomposition

products

Under normal conditions of storage and use, hazardous

decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|------------------------------|----------------------|---------|-------------------|----------|
| 2,2'-dimethyl-4,4'-methylene | bis(cyclohexylamine) |) | | |
| | LD50 Oral | Rat | > 320 - 460 mg/kg | - |
| | LD50 Oral | Rat | 320 mg/kg | - |
| | LC50 Inhalation | Rat | 0,42 mg/l | 4 h |
| | Dusts and mists | | | |
| | LC50 Inhalation | Rat | 0,42 mg/l | 4 h |
| | Dusts and mists | | | |
| | LD50 Dermal | Rabbit | > 200 - 400 mg/kg | - |
| | LD50 Dermal | Rabbit | 200 mg/kg | - |

Conclusion/Summary

: Not available

Acute toxicity estimates

| Product/ingredient name | Oral | Dermal | Inhalation (gases) | Inhalation (vapors) | Inhalation (dusts and mists) |
|---|-----------|-----------|-----------------------|------------------------|------------------------------------|
| EPIKURE™ Curing Agent MGS LH 287-AIH | 320 mg/kg | 300 mg/kg | N/A | N/A | 0,42 mg/l |

Version: 3.0

Date of issue/Date of revision: 06.01.2023

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878 Page: 10/16 EPIKURE™ Curing Agent MGS LH 287-AIH

| 2,2'-dimethyl-4,4'- | 500 mg/kg | 300 mg/kg | N/A | N/A | 0,42 mg/l |
|--------------------------------|-----------|-----------|-----|-----|-----------|
| methylenebis(cyclohexylami ne) | | | | | |

Irritation/Corrosion

Conclusion/Summary

Skin

Not available

eyes

Not available

Respiratory

Not available

Sensitization

Conclusion/Summary

Skin

Not available

Respiratory

Not available

Mutagenicity

Conclusion/Summary

Not available

Carcinogenicity

Conclusion/Summary

Not available

Reproductive toxicity

Conclusion/Summary

Not available

Teratogenicity

Conclusion/Summary

: Not available

Specific target organ toxicity (single exposure)

Not available

Specific target organ toxicity (repeated exposure)

| Product/ingredient name | Category | Route of exposure | Target organs |
|-------------------------------|------------|-------------------|------------------------|
| 2,2'-dimethyl-4,4'- | Category 2 | • | adrenal, blood system, |
| methylenebis(cyclohexylamine) | | | heart, kidneys, liver |

Aspiration hazard

Not available

Information on likely routes of

: Not available

exposure

Potential acute health effects

Eye contact

Causes serious eye damage.

Inhalation

Fatal if inhaled.

Skin contact

Causes severe burns. Toxic in contact with skin.

Ingestion

Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact

Adverse symptoms may include the following: pain, watering,

Version: 3.0

Date of issue/Date of revision: 06.01.2023

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878 EPIKURETM Curing Agent MGS LH 287-AIH

Page: 11/16

redness

Inhalation

No specific data.

Skin contact

Adverse symptoms may include the following: pain or irritation,

redness, blistering may occur

Ingestion

: Adverse symptoms may include the following: stomach pains

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate effects

: Not available

Potential delayed effects

Not available

Long term exposure

Potential immediate effects

Not available

Potential delayed effects

Not available

Potential chronic health effects

Conclusion/Summary

Not available

General

May cause damage to organs through prolonged or repeated

exposure.

Carcinogenicity

: No known significant effects or critical hazards.

Mutagenicity Reproductive toxicity No known significant effects or critical hazards.No known significant effects or critical hazards.

11.2. Information on other hazards

11.2.1 Endocrine disrupting properties

Not available

11.2.2 Other information

: Not available

SECTION 12: Ecological information

12.1 Toxicity

| 14.1 IUXICILY | | | |
|---------------|----------------------|----------------------------|------|
| | Acute LC50 31,6 mg/l | Ide, Silver or Golden Orfe | 96 h |
| | Acute EC50 4,6 mg/l | Water flea | 48 h |
| | Acute EC50 > 5 mg/l | Green algae | 72 h |

Conclusion/Summary

Not available

12.2 Persistence and degradability

Conclusion/Summary

Not available

12.3 Bioaccumulative potential

| Product/ingredient name | LogPow | BCF | Potential | |
|-------------------------------|--------|-----------|-----------|--|
| 2,2'-dimethyl-4,4'- | 2,3 | < 60 <= 6 | low | |
| methylenebis(cyclohexylamine) | | | | |

Date of previous issue: 12.12.2022

12.4 Mobility in soil

Soil/water partition coefficient

Not available

(KOC)

Mobility

Not available

Version: 3.0 Date of issue/Date of revision: 06.01.2023

12.5 Results of PBT and vPvB assessment

| Product/ingredient name | PBT | P | В | T | vPvB | vP | vB |
|------------------------------|--------------|-----------|-----------|-----------|--------------|-----------|-----------|
| EPIKURE TM Curing | Annex XIV | Specified | Specified | Specified | Annex XIV | Specified | Specified |
| Agent MGS LH 287-AIH | (Not listed) | | | | (Not listed) | | |

12.6 Endocrine disrupting properties

Not available

12.7 Other adverse effects

No known significant effects or critical hazards. No known significant effects or critical hazards.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Methods of disposal

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste

The classification of the product may meet the criteria for a

hazardous waste.

Packaging

Methods of disposal

The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions

This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

Regulatory information

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es) 14.4. Packing group

ADR/ADN

2922

CORROSIVE LIQUID, TOXIC,

8 (6.1)

II

N.O.S. (3,3'-DIMETHYL-4,4'-

DIAMINODICYCLOHEXYLMETH

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878 Page: 13/16 EPIKURE™ Curing Agent MGS LH 287-AIH

CORROSIVE LIQUID, TOXIC, RID 2922

N.O.S.

(3,3'-DIMETHYL-4,4'-

DIAMINODICYCLOHEXYLMETH

ANE)

CORROSIVE LIQUID, TOXIC, ICAO/IATA 2922

8 (6.1)

8 (6.1)

II

II

N.O.S.

(3,3'-DIMETHYL-4,4'-

DIAMINODICYCLOHEXYLMETH

ANE)

CORROSIVE LIQUID, TOXIC, IMO/IMDG 2922

8 (6.1)

II

N.O.S.

(3,3'-DIMETHYL-4,4'-

DIAMINODICYCLOHEXYLMETH

14.5. Environmental hazards

Environmentally hazardous and/or Marine Pollutant

Yes.



14.6 Special precautions for user

Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorization

Annex XIV

None required.

Substances of very high concern

None required.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures Not applicable.

and articles

Other EU regulations

REACH Status

The substance(s) in this product has (have) been Registered, or are

exempted from registration, according to Regulation (EC) No.

1907/2006 (REACH).

Prior Informed Consent (PIC) (649/2012/EU)

None required.

Seveso Directive

Date of issue/Date of revision: 06.01.2023 Version: 3.0

This product is controlled under the Seveso Directive.

Danger criteria

| Category | |
|----------|--|
| H2 | |
| E2 | |

National regulations

Water Discharge Policy (ABM)

A(4) Low hazard for aquatic organisms, may have long-term

hazardous effects in aquatic environment. Decontamination effort: A

International regulations

International lists

: Australia inventory (AICS) All components are listed or exempted.

Canada inventory All components are listed or exempted. Japan inventory All components are listed or exempted.

China inventory (IECSC) All components are listed or exempted.

Korea inventory (KECI) All components are listed or exempted.

New Zealand Inventory (NZIoC) All components are listed or exempted.

Philippines inventory (PICCS) All components are listed or exempted.

United States inventory (TSCA 8b) All components are active or exempted.

Taiwan inventory (TCSI) All components are listed or exempted.

Thailand inventory Not determined. Vietnam inventory Not determined.

15.2 Chemical Safety Assessment

This product contains substances for which Chemical Safety

Assessments are still required.

SECTION 16: Other information

Abbreviations and acronyms

ATE = Acute Toxicity Estimate

CLP = Classification, Labelling and Packaging Regulation

[Regulation (EC) No. 1272/2008]
DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement

N/A = Not available

PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number

SGG = Segregation Group

vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

| Classification | Justification |
|---------------------|--------------------|
| Acute Tox. 4, H302 | Calculation method |
| Acute Tox. 3, H311 | Calculation method |
| Acute Tox. 2, H330 | Calculation method |
| Skin Corr. 1A, H314 | Calculation method |
| Eye Dam. 1, H318 | Calculation method |
| STOT RE 2, H373 | Calculation method |

| Aquatic Chronic 2, H411 | Calculation method |
|-------------------------|--------------------|

Full text of abbreviated H statements

| H302 | Harmful if swallowed. |
|------|--|
| H311 | Toxic in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H318 | Causes serious eye damage. |
| H330 | Fatal if inhaled. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H411 | Toxic to aquatic life with long lasting effects. |

Full text of classifications [CLP/GHS]

| Acute Tox. 2 | ACUTE TOXICITY - Category 2 |
|-------------------|--|
| Acute Tox. 3 | ACUTE TOXICITY - Category 3 |
| Acute Tox. 4 | ACUTE TOXICITY - Category 4 |
| Aquatic Chronic 2 | AQUATIC HAZARD (LONG-TERM) - Category 2 |
| Eye Dam. 1 | SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1 |
| Skin Corr. 1A | SKIN CORROSION/IRRITATION - Category 1A |
| STOT RE 2 | SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE - |
| | Category 2 |
| Acute Tox. 4 | ACUTE TOXICITY |
| Acute Tox. 3 | ACUTE TOXICITY |
| Skin Corr. 1A | SKIN CORROSION/IRRITATION |
| Eye Dam. 1 | SERIOUS EYE DAMAGE/EYE IRRITATION |
| Acute Tox. 2 | ACUTE TOXICITY |
| STOT RE 2 | SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE |
| Aquatic Chronic 2 | AQUATIC HAZARD (LONG-TERM) |

Date of printing: 17.01.2023Date of issue/ Date of revision: 07.01.2023Date of previous issue: 12.12.2022Version: 3.0

Notice to reader

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

This page left intentionally blank.

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878 EPIKURE™ Curing Agent MGS LH 287-AIH

Page: 16/16