



REMOTE PILOT 2022 TEST PREP

STUDY & PREPARE

Pass your Part 107 test and know what is essential to safely operate an unmanned aircraft—from the most trusted source in aviation training

5 FREE
ONLINE
PRACTICE
TESTS

Activation Code Included

REMOTE PILOT 2022 TEST PREP

STUDY & PREPARE

Pass your Part 107 test and know what is essential to safely operate an unmanned aircraft—from the most trusted source in aviation training

READER TIP

The FAA Knowledge Exam Questions can change throughout the year. Stay current with test changes; sign up for ASA's free email update service at asa2fly.com/testupdate



AVIATION SUPPLIES & ACADEMICS, INC.
NEWCASTLE, WASHINGTON

Remote Pilot Test Prep
2022 Edition

Aviation Supplies & Academics, Inc.
7005 132nd Place SE
Newcastle, Washington 98059
asa@asa2fly.com | 425.235.1500 | asa2fly.com

© 2021 Aviation Supplies & Academics, Inc.

Visit asa2fly.com/reader/TPUAS for the Reader Resources page containing additional information and updates related to this book.

Sample Federal Aviation Administration (FAA) questions herein contain information as of: September 2021. Stay informed of changes since the book was printed: asa2fly.com/testupdate

None of the material in this publication supersedes any documents, procedures or regulations issued by the Federal Aviation Administration.

Aviation Supplies & Academics, Inc. (ASA), assumes no responsibility for any errors or omissions. Neither is any liability assumed for damages resulting from the use of the information contained herein.

Important: This Test Prep should be sold with and used in conjunction with *Airman Knowledge Testing Supplement for Sport, Recreational, Remote and Private Pilot* (FAA-CT-8080-2H). ASA reprints the FAA test figures and legends contained within this government document, and it is also sold separately and available from aviation retailers nationwide. Order #ASA-CT-8080-2H.

Cover photo by Jared Brashier on Unsplash

ASA-TP-UAS-22

ISBN 978-1-64425-163-8

Additional format available:
eBook PDF ISBN 978-1-64425-164-5

Printed in the United States of America

2022 2021 5 4 3 2 1

About the Contributors

Jackie Spanitz

General Manager
Aviation Supplies & Academics, Inc.

As ASA General Manager, Jackie Spanitz oversees maintenance and development of more than 1,000 titles and pilot supplies in the ASA product line. Ms. Spanitz has worked with airman training and testing for more than 25 years, including participation in the Airman Certification Standards (ACS) development committees. Jackie holds a Bachelor of Science in Aviation Technology from Western Michigan University, a Master of Science from Embry-Riddle Aeronautical University, and Instructor and Commercial Pilot certificates. She is the author of *Guide to the Flight Review*, and the technical editor for ASA's Test Prep and FAR/AIM series.

David Ison, Ph.D.

Professor, Graduate School
Northcentral University

Dr. David Ison has flown as a flight instructor and as an ATP for regional and major airlines, flying both domestic and international routes. Dr. Ison holds a Bachelor of Science in Aviation Management from Auburn University, a Master of Science in Aeronautical Science—Operations Specialization and a Ph.D. in Educational Studies/Higher Education Leadership with a Specialization in Aviation Education from Embry-Riddle Aeronautical University. He is the co-author of two books, *Small Unmanned Aircraft Systems Guide: Exploring Designs, Operations, Regulations and Economics* and *The Complete Remote Pilot*; and the author of *Aircraft Dispatcher Oral Exam Guide*.

Aviation Supplies & Academics, Inc. (ASA) is an industry leader in the development and sale of aviation supplies and publications for pilots, flight instructors, aviation maintenance technicians, aircraft dispatchers, air traffic controllers, flight attendants, and drone operators. We manufacture and publish more than 1,000 products and have been providing trusted and reliable training materials to the aviation industry for over 80 years. Visit asa2fly.com for a free catalog.

Stay informed with ASA online resources.

Website



asa2fly.com

Updates



asa2fly.com/testupdate

Follow, like, share.

twitter.com/asa2fly
instagram.com/asa2fly
facebook.com/asa2fly
youtube.com/asa2fly
linkedin.com/company/asa2fly

Contents

Instructions

Updates and Practice Tests	v
Introduction.....	vi
Description of the Tests	vii
<i>Knowledge Test Registration</i>	vii
<i>Acceptable Forms of Authorization</i>	viii
<i>Acceptable Materials</i>	viii
<i>Testing Procedures for Applicants</i>	
<i>Requesting Special Accommodations</i>	ix
<i>Test Reports</i>	ix
<i>Retesting Procedures</i>	ix
<i>Cheating or Other Unauthorized Conduct</i>	x
<i>Test-Taking Tips</i>	x
Remote Pilot Certificate Eligibility Requirements	xi
Knowledge Exam References	xii
ASA Test Prep Layout	xiii

Chapter 1 Regulations

Introduction.....	1-3
Remote Pilot Certification.....	1-6
Remote Pilot Privileges	1-8
Supporting Crew Roles	1-9
Falsification, Reproduction, or Alteration	1-11
Accident Reporting	1-11
FAA Inspections.....	1-13
sUAS Registration	1-14
Remote Identification (Remote ID)	1-16
Preflight Action and Inspection.....	1-17
Carriage of Hazardous Material	1-18
Operation at Night	1-19
Visual Line of Sight (VLOS).....	1-20
Operating Limitations.....	1-21
Right-of-Way Rules.....	1-22
Operation Over Human Beings	1-24
Operation from Moving Vehicles or Aircraft	1-26
Privacy and Other Considerations.....	1-27
Alcohol and Drugs	1-28
Change of Address.....	1-31
Waivers.....	1-31

Chapter 2 National Airspace System

Introduction.....	2-3
<i>NOTAMs</i>	2-3
<i>Other Airspace Resources</i>	2-4
Airspace Classification	2-7
Topography	2-15
Airport Operations	2-19
Airport Markings and Signs	2-22
Collision Avoidance	2-27
<i>Inflight Hazards</i>	2-27

Chapter 3 Weather

Introduction.....	3-3
Wind	3-4
Air Masses and Fronts.....	3-5
Atmospheric Stability	3-7
Visibility and Clouds	3-8
Thunderstorms	3-10
Icing	3-13
Fog	3-14
Density Altitude.....	3-16
Weather Briefing.....	3-17
Weather Reports, Forecasts and Charts.....	3-18
<i>Surface Aviation Weather Observations</i>	3-19
<i>Aviation Weather Reports</i>	3-19
<i>Aviation Forecasts</i>	3-21
<i>Convective Significant Meteorological</i>	
<i>Information (WST)</i>	3-23

Chapter 4 Loading and Performance

Introduction.....	4-3
Determining Speed and Altitude.....	4-4
Loading.....	4-6
<i>Computing Weight and Balance</i>	4-7
Load Factor.....	4-8
Stalls.....	4-10
Performance	4-12

Chapter 5 **Operations**

Introduction.....	5-3
Communication Procedures	5-5
<i>sUAS Frequencies</i>	5-9
Emergency Procedures	5-13
<i>Lost Link</i>	5-13
<i>Flight Termination</i>	5-14
<i>Flyaways</i>	5-14
<i>Loss of GPS</i>	5-14
<i>Battery Fires</i>	5-15
Aeronautical Decision Making	5-17
Physiology	5-22
Maintenance and Inspection Procedures	5-26

Cross References

- A:** Question Number and Page Number A-1
- B:** Airman Knowledge Test Report
 Codes and Question Numbers B-1

Updates and Practice Tests

Free Test Updates for the One-Year Life Cycle of Test Prep Books

The FAA modifies tests as needed throughout the year. ASA keeps abreast of changes to the tests and posts free Test Updates on the ASA website. Before taking your test, be certain you have the most current information by visiting the ASA Test Updates webpage: asa2fly.com/testupdate. Additionally, sign up for free email notifications, which are sent when new Test Updates are available.

We Invite Your Feedback

After you take your FAA exam, let us know how you did. Were you prepared? Did ASA's products meet your needs and exceed your expectations? We want to continue to improve these products to ensure applicants are prepared and become safe aviators. Send your feedback to: cfi@asa2fly.com.

prepware.com

See inside front cover
for FREE account!

Helping you practice for written exams.

As the experts in FAA Knowledge Exam preparation, we want you to have the confidence needed before heading to the testing center, and help eliminate the hassle and expense of retaking exams.

> Realistic Test Simulation

Test questions and time allowed replicate the official FAA exam

> Performance Graphs

Review how you did, track your performance and review explanations for the questions you missed

> Gain Confidence

Go into your exam fully prepared after practicing up to 5 simulated tests

> Succeed

Pass your exam, achieve your goals, and set new ones



Remote Pilot • Sport Pilot • Private Pilot • Instrument Rating • Commercial Pilot • Flight Instructor • Ground Instructor
Fundamentals of Instruction • Flight Engineer • Airline Transport Pilot • Aviation Mechanic General • Airframe • Powerplant
Practice tests are also available as an app! asa2fly.com/apps

Introduction

Welcome to the Aviation Supplies & Academics, Inc., (ASA) Test Prep Series. This series has been helping pilots prepare for the FAA Knowledge Tests for more than 60 years with great success. We are confident that with proper use of this book you will score very well on your Remote Pilot certificate test.

Begin your studies with a classroom or home-study ground school course, which will involve reading a comprehensive textbook. Visit the dedicated Reader Resource webpage for this Test Prep (**asa2fly.com/reader/TPUAS**) and become familiar with the FAA guidance materials available for this certification exam. Then use this Test Prep to prepare for your exam: read the question, select your choice for the correct answer, and then read the explanation. Use the references that conclude each explanation to identify additional resources for further study of a subject. Upon completion of your studies, take practice tests at **prepware.com** (see inside the front cover for your five free practice tests).

The questions in this book have been arranged into chapters based on subject matter to promote better understanding, aid recall, and provide a more efficient study guide.

Prior to taking an FAA Airman Knowledge Test, all applicants must establish an FAA Tracking Number (FTN) by creating a profile in the Integrated Airman Certification and Rating Application (IACRA) system at **iacra.faa.gov**. Then visit **faa.psiexams.com** to register for your exam and take FAA-created practice tests to become familiar with the computer testing platform.

It is important to answer every question assigned on your FAA Knowledge Test. If in their ongoing review, the FAA decides a question has no correct answer, is no longer applicable, or is otherwise defective, your answer will be marked correct no matter which one you chose. However, you will not be given the automatic credit if you have not marked an answer. Unlike some other exams you may have taken, there is no penalty for guessing in this instance.

The FAA exams are “closed tests” which means the exact database of questions is not available to the public. The question and answer choices in this book are based on our extensive history and experience with the FAA testing and airman certification process. You might see similarly worded questions on your official FAA exam, or answer stems might be rearranged from the order you see in this book. Therefore, be sure to fully understand the intent of each question and corresponding answer while studying, rather than memorizing the letter associated with the correct response. You may be asked a question that has unfamiliar wording; studying and understanding the information in this book and the associated references will give you the tools to answer question variations with confidence.

If your study leads you to question an answer choice, we recommend you seek the assistance of a local instructor. We welcome your questions, recommendations, and concerns—send them to:

Aviation Supplies & Academics, Inc.

7005 132nd Place SE

Newcastle, WA 98059-3153

Voice: 425.235.1500 Fax: 425.235.0128

Email: cfi@asa2fly.com Website: asa2fly.com

The FAA appreciates testing experience feedback. You can contact them at:

Federal Aviation Administration

AFS-630, Airman Testing Standards Branch

PO Box 25082

Oklahoma City, OK 73125

Email: afs630comments@faa.gov

ASA Test Prep Layout

Sample FAA questions have been sorted into chapters according to subject matter. Within each chapter, similar questions are grouped together following introductory chapter text. Figures referenced in the chapter text are numbered with the appropriate chapter number, e.g., “Figure 1-1” is Chapter 1’s first chapter text figure.

Some sample FAA questions refer to Figures or Legends immediately following the question number, e.g., “1201. (Refer to Figure 14.)” These are FAA Figures and Legends which can be found in the separate booklet *Airman Knowledge Testing Supplement for Sport, Recreational, Remote and Private Pilot* (CT-8080-2H). This supplement is bundled with this Test Prep and is the exact same material you will have access to when you take your FAA test. We provide it separately so you can become accustomed to referring to the FAA Figures and Legends as you would during the test.

Following each sample FAA test question is ASA’s explanation in italics. The last line of the explanation contains an ACS code and a reference for further study. Some questions include an explanation for the incorrect answers for added clarity. When you encounter a difficult question, find the ACS code in the table in Cross-Reference B, and then look for material relating to the subject description within the given reference(s). Refer to Cross-Reference B for more information on how to use ACS codes for effective studying.

Answers to each question are found at the bottom of each page.

EXAMPLE:

Chapter text

Four aerodynamic forces are considered to be basic because they act upon an aircraft during all flight maneuvers. There is the downward-acting force called WEIGHT which must be overcome by the upward-acting force called LIFT, and there is the rearward-acting force called DRAG, which must be overcome by the forward-acting force called THRUST.

ALL

1201. (Refer to Figure 2.) The four forces acting on an airplane in flight are

- A— lift, weight, thrust, and drag.
- B— lift, weight, gravity, and thrust.
- C— lift, gravity, power, and friction.

Category rating. This question may be found on tests for these ratings.*

See separate book *Airman Knowledge Testing Supplement* (CT-8080-XX)

Question and answer choices

Lift, weight, thrust, and drag are the four basic aerodynamic forces acting on an aircraft in flight.

(UA.IV.A.K1a) — FAA-H-8083-25

Explanation

Code line. FAA ACS code in parentheses, followed by references for further study.

Answer (B) is incorrect because the force of gravity is always the same number and reacts with the airplane’s mass to produce a different weight for almost every airplane. Answer (C) is incorrect because weight is the final product of gravity, thrust is the final product of power, and drag is the final product of friction. Power, gravity, and friction are only parts of the aerodynamic forces of flight.

Incorrect answer explanation. Reasons why answer choices are incorrect explained here.

* **Note:** The FAA does not identify which questions are on the different rating tests. Unless the wording of a question is pertinent to only one rating category, it may be found on any of the tests.

ALL = Unmanned Aircraft test

Chapter 3

Weather

Introduction	3-3
Wind	3-4
Air Masses and Fronts	3-5
Atmospheric Stability	3-7
Visibility and Clouds	3-8
Thunderstorms	3-10
Icing	3-13
Fog	3-14
Density Altitude	3-16
Weather Briefing	3-17
Weather Reports, Forecasts and Charts	3-18
<i>Surface Aviation Weather Observations</i>	3-19
<i>Aviation Weather Reports</i>	3-19
<i>Aviation Forecasts</i>	3-21
<i>Convective Significant Meteorological Information (WST)</i>	3-23

Introduction

As with any flight, the remote PIC should check and consider the weather conditions prior to and during every sUAS flight. Even though sUAS operations are often conducted at very low altitudes, weather factors can greatly influence performance and safety of flight. Specifically, factors that affect sUAS performance and risk management include:

- Atmospheric pressure and stability;
- Wind and currents;
- Uneven surface heating;
- Visibility and cloud clearance; and
- Precipitation.

The major source of all weather is the sun. Every physical process of weather, change, or variation of weather patterns is accompanied by or is a result of unequal heating of the Earth's surface. The heating of the Earth (and therefore the heating of the air surrounding the Earth) is imbalanced around the entire planet. Both north and south of the equator, due to the different angle sunlight hits the Earth, one square foot of sunrays is not concentrated over one square foot of the surface, but over a larger area. This lower concentration of sunrays produces less radiation of heat over a given surface area; therefore, less atmospheric heating takes place in that area. The unequal heating of the Earth's atmosphere creates a large air-cell circulation pattern (wind) because the warmer air has a tendency to rise (associated with low pressure systems) and the colder air has a tendency to settle or descend (associated with high pressure systems) and replace the rising warmer air. This unequal heating, which causes pressure variations, will also cause variations in barometric altimeter settings between weather reporting points.

Different surfaces radiate heat in varying amounts. The resulting uneven heating of the air creates small areas of local circulation called convective currents. Convective currents can cause turbulent air that has the potential to dramatically affect the remote PIC's ability to control unmanned aircraft at lower altitudes. For example:

- Plowed ground, rocks, sand, barren land, pavement, and urban areas give off a large amount of heat and are likely to result in updrafts.
- Water, trees, and other areas of vegetation tend to absorb and retain heat and are likely to result in downdrafts.

ALL

1135. Which of the following considerations is most relevant to a remote PIC when evaluating unmanned aircraft performance?

- A—Current weather conditions.
- B—The number of available ground crew.
- C—The type of sUAS operation.

Weather factors can greatly influence sUAS performance and safety of flight. (UA.III.B.K1) — AC 107-2

ALL

1136. Every physical process of weather is accompanied by, or is the result of, a

- A—movement of air.
- B—pressure differential.
- C—heat exchange.

Every physical process of weather is accompanied by, or is a result of, unequal heating of the Earth's surface. (UA.III.B.K1c) — AC 00-6

Answers

1135 [A]

1136 [C]

ALL

1137. What causes variations in altimeter settings between weather reporting points?

- A—Unequal heating of the Earth's surface.
- B—Variation of terrain elevation.
- C—Coriolis force.

All altimeter settings are corrected to sea level. Unequal heating of the Earth's surface causes pressure differences. (UA.III.B.K1c) — AC 00-6

ALL

1138. The development of thermals depends upon

- A—a counterclockwise circulation of air.
- B—temperature inversions.
- C—solar heating.

Thermals are updrafts in convective currents dependent on solar heating. A temperature inversion would result in stable air with very little, if any, convective activity. (UA.III.B.K1c) — AC 00-6

ALL

1139. (Refer to Figure 20.) Over which area should a remote pilot expect to find the highest amount of thermal currents under normal conditions?

- A—2.
- B—7.
- C—5.

Dry areas get hotter than moist areas. Dry fields or dry ground of any nature are better thermal sources than moist areas. This applies to woods or forests, which are poor sources of thermals because of the large amount of moisture given off by foliage. (UA.III.B.K1c) — AC 00-6

ALL

1272. Clouds, fog, or dew will always form when

- A—water vapor condenses.
- B—water vapor is present.
- C—relative humidity reaches 100 percent.

As water vapor condenses or sublimates on condensation nuclei, liquid or ice particles begin to grow. Some condensation nuclei have an affinity for water and can induce condensation or sublimation even when air is almost, but not completely, saturated. (UA.III.B.K1d) — AC 00-6

Answer (B) is incorrect because the presence of water vapor does not result in clouds, fog, or dew unless condensation occurs. Answer (C) is incorrect because it is possible to have 100% humidity without the occurrence of condensation, which is necessary for clouds, fog, or dew to form.

Wind

Wind and currents can affect sUAS performance and maneuverability during all phases of flight. Be vigilant when operating sUAS at low altitudes, in confined areas, near buildings or other manmade structures, and near natural obstructions (such as mountains, bluffs, or canyons). Consider the following effects of wind on performance:

- Obstructions on the ground affect the flow of wind, may create rapidly changing wind speed and direction, and can be an unseen danger.
- High winds may make it difficult to maintain a geographical position in flight and may consume more battery power or preclude aircraft control and recovery.

Local conditions, geological features, and other anomalies can change the wind direction and speed close to the Earth's surface. For example, when operating close to a building, winds blowing against the building could cause strong updrafts that can result in ballooning or a loss of positive control. On the other hand, winds blowing over the building from the opposite side can cause significant downdrafts that can have a dramatic sinking effect on the unmanned aircraft that may exceed its climb performance.

The intensity of the turbulence associated with ground obstructions depends on the size of the obstacle and the primary velocity of the wind. This same condition is even more noticeable when flying

Answers

1137 [A]

1138 [C]

1139 [A]

1272 [A]

in mountainous regions. While the wind flows smoothly up the windward side of the mountain and the upward currents help to carry an aircraft over the peak of the mountain, the wind on the leeward side does not act in a similar manner. As the air flows down the leeward side of the mountain, the air follows the contour of the terrain and is increasingly turbulent. This tends to push an aircraft into the side of a mountain. The stronger the wind, the greater the downward pressure and turbulence become. Due to the effect terrain has on the wind in valleys or canyons, downdrafts can be severe. Even small hills or odd shaped terrain can have similar effects on local wind conditions. Remote pilots should be aware that terrain/object wind effects may exist for some distance downwind of the actual terrain or object.

ALL

1140. While operating around buildings, the remote PIC should be aware of the creation of wind gusts that

- A—change rapidly in direction and speed causing turbulence.
- B—enhance stability and imagery.
- C—increase performance of the aircraft

Local conditions, geological features, and other anomalies can change the wind direction and speed close to the Earth's surface, making it difficult to control and maneuver the sUAS. (UA.III.B.K1b) — FAA-H-8083-25

ALL

1141. A strong steady wind exists out of the north. You need to photograph an area to the south of your location. You are located in an open field with no obstructions. Which of the following is not a concern during this operation?

- A—Strong wind conditions may consume more battery power at a faster rate than in calm conditions.
- B—Turbulent conditions will likely be a significant factor during the operation.
- C—Strong wind may exceed the performance of the sUAS making it impossible to recover.

Unmanned aircraft often have limited performance and therefore in high wind conditions, it may consume more power to maintain position or other maneuvers than in calm air. If the wind is strong enough, the sUAS's performance might not be able to adequately counter the wind, making it difficult or impossible to fly back to you for recovery. (UA.III.B.K1b) — FAA-H-8083-25, 14 CFR §107.49

ALL

1278. Wind shear can exist

- A—at all altitudes.
- B—at low altitudes.
- C—at high altitudes.

Wind shear is a sudden, drastic change in wind speed and/or direction over a very small area. Wind shear can subject an aircraft to violent updrafts and downdrafts, as well as abrupt changes to the horizontal movement of the aircraft. While wind shear can occur at any altitude, low-level wind shear is especially hazardous due to the proximity of an aircraft to the ground. (UA.III.B.K1b) — AC 00-6

Air Masses and Fronts

When a body of air comes to rest on, or moves slowly over, an extensive area having fairly uniform properties of temperature and moisture, the air takes on these properties. The area over which the air mass acquires its identifying distribution of temperature and moisture is its source region. As this air mass moves from its source region, it tends to take on the properties of the new underlying surface. The trend toward change is called air mass modification. When an air mass that is different in such properties advances upon a dissimilar air mass, the division line is referred to as a front.

A ridge is an elongated area of high pressure. A trough is an elongated area of low pressure. All fronts lie in troughs. A cold front is the leading edge of an advancing cold air mass. Cold fronts are often accompanied by poor weather ahead of the front, which passes relatively quickly. Once the front has

Answers

1140 [A]

1141 [B]

1278 [A]

passed, there is a wind shift and, due to the increased wind speeds, turbulence is common for a period of time. More severe cold fronts can also produce thunderstorms, hail, and tornadoes.

A warm front is the leading edge of an advancing warm air mass. Warm fronts move about half as fast as cold fronts and have more widespread impact on weather. They are often preceded by lowered ceilings, increased precipitation, and reduced visibilities. Remote PICs should be aware of ambient and approaching weather systems as they can significantly impact their operations and safety of flight. Frontal waves and cyclones (areas of low pressure) usually form on slower-moving cold fronts or stationary fronts. These types of systems are often accompanied by conditions that may be unfavorable to sUAS operations. Figure 3-1 shows the symbols that would appear on a weather map.

The physical manifestations of a warm or cold front can be different with each front. They vary with the speed of the air mass on the move and the degree of stability of the air mass being overtaken. A stable air mass forced aloft will continue to exhibit stable characteristics, such as stratus clouds, calm air, steady precipitation, and poor visibility, while an unstable air mass forced to ascend will continue to be characterized by cumulus clouds, turbulence, showery precipitation, and good visibility.

Frontal passage will be indicated by the following discontinuities:

1. A temperature change (the most easily recognizable discontinuity);
2. A continuous decrease in pressure followed by an increase as the front passes; and
3. A shift in the wind direction, speed, or both.

ALL

1142. One of the most easily recognized discontinuities across a front is

- A—a change in temperature.
B—an increase in cloud coverage.
C—an increase in relative humidity.

Temperature is one of the most easily recognized discontinuities across a front. (UA.III.B.K1d) — AC 00-6

Answer (B) is incorrect because cloud coverage is not always present across a front. Answer (C) is incorrect because relative humidity is not an easily recognized discontinuity across a front.

ALL

1143. One weather phenomenon which will always occur when flying across a front is a change in the

- A—wind direction.
B—type of precipitation.
C—stability of the air mass.

**Symbols on Surface Analysis
(Surface Weather Maps)**

Color	Symbol	Description
Blue		Cold front
Blue		Cold front aloft
Red		Warm front
Red/Blue		Stationary front
Purple		Occluded front
Purple		Squall line
Brown		Trough
Yellow		Ridge

Figure 3-1. Weather map symbols

Wind direction always changes across a front. (UA.III.B.K1d) — AC 00-6

Answer (B) is incorrect because precipitation does not always exist with a front. Answer (C) is incorrect because the stability on both sides of the front may be the same.

ALL

1144. Which type of weather phenomenon that may concern a remote pilot is common among cold fronts?

- A—Long-term periods of reduced visibility.
B—Long periods of steady precipitation.
C—Thunderstorms and heavy rain.

Thunderstorms and heavy rain are common, although not always, associated with cold fronts. (UA.III.B.K1d) — AC 00-6

Answers (A) and (B) are incorrect because these characteristics would most typically be associated with warm fronts.

Answers

1142 [A]

1143 [A]

1144 [C]

ALL
1286. What weather provides the best flying conditions?
A—Warm, moist air.
B—Cool, dry air.
C—Turbulence.

The combination of moisture and temperature determine the stability of the air and the resulting weather. Cool, dry air is very stable and resists vertical movement, which leads to good and generally clear weather. (UA.III.B.K1d) — AC 00-6

ALL
1277. The zone between different temperature, humidity, and wind is called
A—A front.
B—An air mass.
C—Wind shear.

The zone between two different air masses is a frontal zone or front. Across this zone, temperature, humidity and wind often change rapidly over short distances. (UA.III.B.K1d) — AC 00-6

Atmospheric Stability

Atmospheric stability is defined as the resistance of the atmosphere to vertical motion. A stable atmosphere resists any upward or downward movement. An unstable atmosphere allows an upward or downward disturbance to grow into a vertical (convective) current.

Determining the stability of the atmosphere requires measuring the difference between the actual existing (ambient) temperature lapse rate of a given parcel of air and the dry adiabatic (3°C per 1,000 feet) lapse rate. Because sUAS operate at low altitudes, it may seem as though lapse rate may not be a factor, but the stability of the local air mass can have significant impact on ambient conditions. Unstable air can often result in weather conditions unfavorable to sUAS operations.

A stable layer of air would be associated with a temperature inversion (a condition in which warm air is situated above cool or cold air). Warming from below, on the other hand, would decrease the stability of an air mass. The conditions shown in Figure 3-2 can be characteristic of stable or unstable air masses.

Unstable Air	Stable Air
Cumuliform clouds	Stratiform clouds and fog
Showery precipitation	Continuous precipitation
Rough air (turbulence)	Smooth air
Good visibility except in blowing obstructions	Fair to poor visibility in haze and smoke

Figure 3-2. Characteristics of stable and unstable air masses

ALL
1145. A stable air mass is most likely to have which characteristic?
A—Showery precipitation.
B—Turbulent air.
C—Poor surface visibility.

Characteristics of a stable air mass include stratiform clouds and fog, continuous precipitation, smooth air, and fair to poor visibility in haze and smoke. (UA.III.B.K1c) — FAA-H-8083-25

ALL
1146. What are characteristics of a moist, unstable air mass?
A—Turbulence and showery precipitation.
B—Poor visibility and smooth air.
C—Haze and smoke.

Characteristics of a moist, unstable air mass include cumuliform clouds, showery precipitation, rough air (turbulence), and good visibility (except in blowing obstructions). (UA.III.B.K1c) — AC 00-6

Answers

1286 [B] 1277 [A] 1145 [C] 1146 [A]

ALL

1147. What are characteristics of stable air?

- A—Good visibility and steady precipitation.
- B—Poor visibility and steady precipitation.
- C—Poor visibility and intermittent precipitation.

Characteristics of a stable air mass include stratiform clouds and fog, continuous precipitation, smooth air, and fair to poor visibility in haze and smoke. (UA.III.B.K1c) — FAA-H-8083-25

ALL

1148. What measurement can be used to determine the stability of the atmosphere?

- A—Atmospheric pressure.
- B—Actual lapse rate.
- C—Surface temperature.

The difference between the existing lapse rate of a given mass of air and the adiabatic rates of cooling in upward moving air determines if the air is stable or unstable. (UA.III.B.K1c) — AC 00-6

ALL

1149. What would decrease the stability of an air mass?

- A—Warming from below.
- B—Cooling from below.
- C—Decrease in water vapor.

When air near the surface is warm and moist, suspect instability. Surface heating, cooling aloft, converging or upslope winds, or an invading mass of colder air may lead to instability and cumuliform clouds. (UA.III.B.K1c) — AC 00-6

Answer (B) is incorrect because cooling from the air below would increase the stability of the air. Answer (C) is incorrect because an increase in water vapor will result in a decrease in stability.

ALL

1150. Upon your preflight evaluation of weather, the forecasts you reference state there is an unstable air mass approaching your location. Which would not be a concern for your impending operation?

- A—Thunderstorms.
- B—Stratiform clouds.
- C—Turbulent conditions.

Unstable conditions are characterized by cumulus clouds, turbulence, showery precipitation, and good visibility. (UA.III.B.K1c) — AC 00-6

ALL

1285. You have received an outlook briefing from flight service through 1800wxbrief.com. The briefing indicates you can expect a low-level temperature inversion with high relative humidity. What weather conditions would you expect?

- A—Smooth air, poor visibility, fog, haze, or low clouds.
- B—Light wind shear, poor visibility, haze, and light rain.
- C—Turbulent air, poor visibility, fog, low stratus type clouds, and showery precipitation.

When the temperature of the air rises with altitude, a temperature inversion exists. Inversion layers are commonly shallow layers of smooth, stable air close to the ground. The temperature of the air increases with altitude to a certain point, which is the top of the inversion. The air at the top of the layer acts as a lid, keeping weather and pollutants trapped below. If the relative humidity of the air is high, it can contribute to the formation of clouds, fog, haze, or smoke resulting in diminished visibility in the inversion layer. (UA.III.B.K1c) — AC 00-6

Visibility and Clouds

As in manned aircraft operations, good visibility and safe distance from clouds enhances the remote PIC's ability to see and avoid other aircraft. Similarly, good visibility and cloud clearance may be the only means for other aircraft to see and avoid the unmanned aircraft. Prior to flight, the remote PIC must determine that visibility from the CS is at least 3 SM and that the sUAS is kept at least 500 feet below a cloud and at least 2,000 feet horizontally from a cloud. These standards must be maintained throughout flight operations.

One of the ways to ensure adherence to the minimum visibility and cloud clearance requirements is to obtain local aviation weather reports that include current and forecast weather conditions. If there is more than one local aviation reporting station near the operating area, the remote PIC should choose

Answers

1147 [B]

1148 [B]

1149 [A]

1150 [B]

1285 [A]

the closest one that is also the most representative of the terrain surrounding the operating area. If local aviation weather reports are not available, then the remote PIC may not operate the sUA if he or she is unable to determine the required visibility and cloud clearances by other reliable means.

The remote pilot can determine local visibility by verifying that a known point at least 3 SM away is visible. Similarly, an object with a known height can be observed to have clouds above that object, providing information about how much operational altitude is available for use. For example, you know a nearby tower extends to 1,000 feet AGL (referencing a Sectional Chart). The clouds are above the top. Thus you know that even if you climb to the maximum altitude of 400 feet AGL, you have more than the required 500 feet of separation from the clouds. When in doubt, always choose the most conservative and safest option, which sometimes may be to delay the operation. It is imperative that the sUA not be operated above any cloud, and that there are no obstructions to visibility, such as smoke or a cloud, between the sUA and the remote PIC.

ALL

1151. What minimum visibility is required for sUAS operations?

- A—1 miles.
- B—3 miles.
- C—4 miles.

Crewmembers must operate sUAS Part 107 operations with a minimum visibility, as observed from the location of the control station, no less than 3 SM. (UA.I.B.K21c) — 14 CFR §107.51

ALL

1152. The minimum distance from clouds required for sUAS Part 107 operations is

- A—clear of clouds.
- B—500 feet below, 2,000 feet horizontally.
- C—500 feet above, 1,000 feet horizontally.

Part 107 sUAS operations require the minimum distance of the small unmanned aircraft from clouds must be no less than 500 feet below the cloud and 2,000 feet horizontally from the cloud. (UA.I.B.K21d) — 14 CFR §107.51

ALL

1288. (Refer to Figure 69.) You are inspecting the lighted towers approximately 8 NM SW of the Corpus Christi Intl Airport (CRP). What is the lowest cloud cover that will enable you to inspect the top of the tower?

- A—1,104 feet MSL.
- B—1,604 feet MSL.
- C—1,054 feet MSL.

Part 107 requires that the minimum distance of the sUAS from clouds must be no less than 500 feet below the cloud. The towers depicted 8 NM SW of CRP are 1,104 feet MSL. $1,104 + 500 = 1,604$ feet MSL. (UA.II.B.K1) — 14 CFR §107.51

ALL

1271. The weather report lists the ceiling at 800 feet. What is the highest you can operate your sUAS?

- A—200 feet AGL.
- B—800 feet AGL.
- C—300 feet AGL.

Part 107 requires that the minimum distance of the sUAS from clouds must be no less than 500 feet below the cloud. $800 - 500 = 300$ feet AGL. (UA.II.B.K1) — 14 CFR §107.51

ALL

1289. (Refer to Figure 23.) What are the VFR minimum visibility requirements over Plantation Airport?

- A—1 SM.
- B—5 SM.
- C—3 SM.

Regardless of the location, crewmembers must conduct sUAS Part 107 operations with a minimum visibility, as observed from the location of the control station, no less than 3 SM. (UA.II.B.K1) — 14 CFR §107.51

Answers

1151 [B]

1152 [B]

1288 [B]

1271 [C]

1289 [C]



Also available as **eBooks**



Remote pilot operations.

Whether you use your drone for business or recreation, ASA has the resources to teach you the essentials of safe and effective unmanned aircraft operations. From textbooks to logbooks, you can count on ASA's experience in aviation training to provide the information necessary to become a successful aviator.

asa2fly.com/UAS



— Since 1940 —

REMOTE PILOT 2022 TEST PREP

STUDY & PREPARE

Pass your Part 107 test and know what is essential to safely operate an unmanned aircraft—from the most trusted source in aviation training

Flying a drone for non-hobby operations requires a Remote Pilot Certificate. You must successfully complete the Federal Aviation Administration (FAA) Part 107 Knowledge Exam to earn a Remote Pilot Certificate with a Small Unmanned Aircraft Systems (sUAS) Rating. This book is your key to success.

Rely on the time-proven and dependable ASA Test Prep Series to prepare for your FAA Knowledge Exam. This efficient study guide is expertly organized into chapters based on subject matter to promote understanding and aid recall. Includes instructional text and illustrations, questions, answer stems, correct answers, explanations for correct and incorrect answers, and references for further study. When you're done studying, take practice tests with ASA's online simulated testing program at no additional cost!

The ASA Test Prep includes the Airman Knowledge Testing Supplement—with the same FAA legends, figures, and full-color charts you'll be issued at the testing center—to help you become familiar with all available information before you take your official test. ASA's *Remote Pilot Test Prep* is the best resource for successful test-taking and safe small UAS operations.

Questions included to prepare for Part 107 Unmanned Aircraft FAA Knowledge Exam

Questions supported with explanations for correct and incorrect answers

Includes the official FAA Airman Knowledge Testing Supplement

FAA references for further study identified in every explanation

Organized by subject with introductory text for efficient and logical study

Remote Pilot Certificate with sUAS rating requirements explained in detail

5 free online practice tests

Test-taking tips

Free online updates and free subscription service to stay informed of test changes

Explore more ways to study:



SOFTWARE | APP | EBOOK
available on demand from ASA at
asa2fly.com/testprep



Aviation Supplies & Academics, Inc.
7005 132nd Place SE, Newcastle, Washington 98059
425-235-1500 | asa2fly.com

ASA-TP-UAS-22

TRANSPORTATION USD \$19.95

ISBN 978-1-64425-163-8



9 781644 251638