

## Sani-Pak® Powder

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006, Anex II (REACH), as amended by (EU) No. 453/2010MS Code : MS50Revision : 17Rev Date :Supersedes : 04/21/2015

<b>SECTION 1: Identification of the set</b>	ubstance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixture, powder
Product name.	: Sani-Pak Powder
Product group	: Trade product
Product code	: SP/77000/4 & SP/B77000/2
Part number	: SP-77000 & SP-B77000 series
1.2. Relevant identified uses of the su	ubstance or mixture and uses advised against
1.2.1. Relevant identified uses	
Use of the substance/preparation	: Toilet deodorant
1.2.2. Uses advised against	
No data available	
1.3. Details of the supplier of the safe	ety data sheet
Celeste Industries Corporation	
8221 Teal Drive, suite 405	
Easton, Maryland 21601 (USA)	
Within USA: (410) 822-5775	
International: 00 (1) 410-822-5775	
e-mail: info@celestecorp.com	
1.4.         Emergency telephone number           Emergency contact number         Image: Contact number	: For Chemical Emergency, Spill, Leak, Fire, Exposure or Accident call CHEMTREC (24 hours)
	within USA and CANADA: 1-800-424-9300
	Outside USA and Canada (collect call accepted): 1-703-527-3883
<b>SECTION 2: Hazards identification</b>	
2.1. Classification of the substance of	
2.1. Oldssification of the substance of	T MIXATE
Observition expending to Deputation (EO	
Classification according to Regulation (EC	C) No. 1272/2008 [CLP]
Skin Irrit. 2 H315	C) No. 1272/2008 [CLP]
Skin Irrit. 2 H315	;) No. 1272/2008 [CLP]
Skin Irrit. 2 H315 Eye Dam. 1 H318 Aquatic Acute 1 H400	;) No. 1272/2008 [CLP]
Skin Irrit. 2 H315 Eye Dam. 1 H318 Aquatic Acute 1 H400 Full text of H-phrases: see section 16.	
Skin Irrit. 2H315Eye Dam. 1H318Aquatic Acute 1H400Full text of H-phrases: see section 16.Adverse physicochemical, human health a	
Skin Irrit. 2 H315 Eye Dam. 1 H318 Aquatic Acute 1 H400 Full text of H-phrases: see section 16. Adverse physicochemical, human health a No additional information available	
Skin Irrit. 2       H315         Eye Dam. 1       H318         Aquatic Acute 1       H400         Full text of H-phrases: see section 16.         Adverse physicochemical, human health a         No additional information available         2.2.       Label elements	and environmental effects
Skin Irrit. 2 H315 Eye Dam. 1 H318 Aquatic Acute 1 H400 Full text of H-phrases: see section 16. Adverse physicochemical, human health a No additional information available	and environmental effects
Skin Irrit. 2       H315         Eye Dam. 1       H318         Aquatic Acute 1       H400         Full text of H-phrases: see section 16.         Adverse physicochemical, human health a         No additional information available         2.2.       Label elements         Classification according to CLP Regulation	and environmental effects
Skin Irrit. 2       H315         Eye Dam. 1       H318         Aquatic Acute 1       H400         Full text of H-phrases: see section 16.         Adverse physicochemical, human health a         No additional information available         2.2.       Label elements	and environmental effects
Skin Irrit. 2       H315         Eye Dam. 1       H318         Aquatic Acute 1       H400         Full text of H-phrases: see section 16.         Adverse physicochemical, human health a         No additional information available         2.2.       Label elements         Classification according to CLP Regulation	and environmental effects
Skin Irrit. 2       H315         Eye Dam. 1       H318         Aquatic Acute 1       H400         Full text of H-phrases: see section 16.         Adverse physicochemical, human health a         No additional information available         2.2.       Label elements         Classification according to CLP Regulation	and environmental effects n (EC) No 1272/2008
Skin Irrit. 2       H315         Eye Dam. 1       H318         Aquatic Acute 1       H400         Full text of H-phrases: see section 16.         Adverse physicochemical, human health a         No additional information available         2.2.       Label elements         Classification according to CLP Regulation	and environmental effects n (EC) No 1272/2008
Skin Irrit. 2       H315         Eye Dam. 1       H318         Aquatic Acute 1       H400         Full text of H-phrases: see section 16.         Adverse physicochemical, human health a         No additional information available         2.2.       Label elements         Classification according to CLP Regulation         Symbol and Nature of Warning / Danger	in (EC) No 1272/2008 T Irritant $i$
Skin Irrit. 2       H315         Eye Dam. 1       H318         Aquatic Acute 1       H400         Full text of H-phrases: see section 16.         Adverse physicochemical, human health a         No additional information available         2.2.       Label elements         Classification according to CLP Regulation	and environmental effects n (EC) No 1272/2008 Tritant Question Aquatic
Skin Irrit. 2       H315         Eye Dam. 1       H318         Aquatic Acute 1       H400         Full text of H-phrases: see section 16.         Adverse physicochemical, human health a         No additional information available         2.2.       Label elements         Classification according to CLP Regulation         Symbol and Nature of Warning / Danger	in (EC) No 1272/2008 T Irritant $i$
Skin Irrit. 2       H315         Eye Dam. 1       H318         Aquatic Acute 1       H400         Full text of H-phrases: see section 16.       Adverse physicochemical, human health a         No additional information available       2.2.         Label elements       Classification according to CLP Regulation         Symbol and Nature of Warning / Danger         Signal Word	and environmental effects
Skin Irrit. 2       H315         Eye Dam. 1       H318         Aquatic Acute 1       H400         Full text of H-phrases: see section 16.       Adverse physicochemical, human health a         No additional information available       2.2.         Label elements       Classification according to CLP Regulation         Symbol and Nature of Warning / Danger         Signal Word	and environmental effects n (EC) No 1272/2008 Tritant $i$
Skin Irrit. 2 H315 Eye Dam. 1 H318 Aquatic Acute 1 H400 Full text of H-phrases: see section 16. Adverse physicochemical, human health a No additional information available 2.2. Label elements Classification according to CLP Regulation Symbol and Nature of Warning / Danger Signal Word Hazard Statement	and environmental effects   In (EC) No 1272/2008 Initiant Image: Aquatic Toxicity Image: Warning Image: H315 - Causes skin irritation. Image: H315 - Causes skin irritation. Image: H318 - Causes serious eye damage damage. Image: H400 - Very toxic to aquatic life.
Skin Irrit. 2       H315         Eye Dam. 1       H318         Aquatic Acute 1       H400         Full text of H-phrases: see section 16.       Adverse physicochemical, human health a         No additional information available       2.2.         Label elements       Classification according to CLP Regulation         Symbol and Nature of Warning / Danger         Signal Word	and environmental effects   In (EC) No 1272/2008 Initiant Image: Aquatic Toxicity I Warning I H315 - Causes skin irritation. I H318 - Causes serious eye damage damage. I H400 - Very toxic to aquatic life. I P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Skin Irrit. 2 H315 Eye Dam. 1 H318 Aquatic Acute 1 H400 Full text of H-phrases: see section 16. Adverse physicochemical, human health a No additional information available 2.2. Label elements Classification according to CLP Regulation Symbol and Nature of Warning / Danger Signal Word Hazard Statement	Image: state of the state
Skin Irrit. 2 H315 Eye Dam. 1 H318 Aquatic Acute 1 H400 Full text of H-phrases: see section 16. Adverse physicochemical, human health a No additional information available 2.2. Label elements Classification according to CLP Regulation Symbol and Nature of Warning / Danger Signal Word Hazard Statement	and environmental effects         n (EC) No 1272/2008         r         v
Skin Irrit. 2 H315 Eye Dam. 1 H318 Aquatic Acute 1 H400 Full text of H-phrases: see section 16. Adverse physicochemical, human health a No additional information available 2.2. Label elements Classification according to CLP Regulation Symbol and Nature of Warning / Danger Signal Word Hazard Statement	Image: state of the state

#### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH, annex XIII. This substance/mixture does not meet the vPvB criteria of REACH, annex XIII.

### **SECTION 3: Composition/information on ingredients**

#### **Substances** 3.1.

## Not applicable

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-Bromo-2-nitropropane-1,3-diol	(CAS No.) 52-51-7 (EC no) 200-143-0 (EC index no) 603-085-00-8	7 - 15	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 1, H400

Full text of R-, H- and EUH-phrases: see section 16.

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove victim to fresh air. If necessary seek medical advice.
First-aid measures after skin contact	: Remove all contaminated clothing and footwear. Rinse and then wash skin with water and soap. If skin irritation persists, take medical advice.
First-aid measures after eye contact	: Immediately flush eyes thoroughly with water for at least 15 minutes. Obtain medical attention if irritation persists.
First-aid measures after ingestion	: Seek medical attention immediately. If the person is fully conscious, make him/her drink water. Never give an unconscious person anything to drink.
4.2. Most important symptoms and effe	ects, both acute and delayed
Symptoms/injuries after eye contact	: Irritating to eyes.
Symptoms/injuries after ingestion	: May be harmful if swallowed.
4.3. Indication of any immediate medic	al attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media:	: Carbon dioxide (CO2), dry chemical powder, foam, water fog.
5.2. Special hazards arising from the s	ubstance or mixture
Fire hazard	: Non combustible.
5.3. Advice for firefighters	
Protective equipment for firefighters	: Extra personal protection: complete protective clothing including self-contained breathing apparatus.
SECTION 6: Accidental release mea	asures
6.1. Personal precautions, protective e	quipment and emergency procedures
6.1.1. For non-emergency personnel	
Protective equipment	: Gloves. Use splash goggles when eye contact due to splashing is possible.
Emergency procedures	: Avoid contact with skin and eyes. Do not allow the product to be released into the environment.
6.1.2. For emergency responders	
Protective equipment	: Gloves. Use splash goggles when eye contact due to splashing is possible.
Emergency procedures	: Avoid contact with skin and eyes. Do not allow uncontrolled leakage of product into the environment.
6.2. Environmental precautions	
Do not discharge into drains or the environment	t. Do not allow uncontrolled leakage of product into the environment.
6.3. Methods and material for containn	nent and cleaning up
For containment	: Clean spills promptly. contain the discharged material.
Methods for cleaning up	: Collect in closed containers for disposal. Flush residue with large amounts of water. Consult the local waste disposal expert about waste disposal.

according to Regulation (EC) No. 453/2010

#### 6.4. Reference to other sections

Refer to sections 8 and 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Avoid contact with skin and eyes.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice.
7.2. Conditions for safe storage, inclu	uding any incompatibilities
Technical measures:	: Provide adequate ventilation.
Storage condition(s)	: Store in dry, cool, well-ventilated area.
Incompatible materials	: Strong oxidizing compounds
7.3. Specific end use(s)	

No data available

SECT	ION 8	: Ex	bosure contro	ols/personal	protection

8.1. Control parameters

#### n/a

#### 8.2. Exposure controls

Appropriate engineering controls

- Personal protective equipment
- : Ensure adequate ventilation.
- : Chemical resistant gloves. Protective goggles.



Hand protection	: In case of repeated or prolonged contact wear gloves.
Eye protection	: Wear chemical splash goggle if risk of splash.
Skin and body protection	: Protective apron. protective clothing. Wear suitable protective clothing.
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment.

## SECTION 9: Physical and chemical properties

9.1.	Information on basic physical and	d che	mical properties
Physical	state	:	Solid
Appeara	nce	:	Powder
Colour		:	Blue
Odour		:	Pleasant
Odour th	reshold	:	No data available
pН		:	Not applicable.
Melting p	point	:	60 °C
Solidifica	ation point	:	No data available
Boiling p	oint	:	No data available
Flash po	int	:	> 93 °C
Relative	evaporation rate (butylacetate=1)	:	Not applicable
Flammat	oility (solid, gas)	:	No data available
Explosive	e limits	:	Not applicable vol %
Vapour p	pressure	:	No data available
Relative	vapour density at 20 °C	:	No data available
Relative	density	:	0.57 g/cm <sup>3</sup>
Solubility	/	:	Soluble in water
Log Pow	,	:	No data available
Log Kow	,	:	No data available
Self ignit	ion temperature	:	Not applicable
Decomp	osition temperature	:	No data available
Viscosity	v, kinematic	:	No data available
Viscosity	v, dynamic	:	No data available
Explosive	e properties	:	Not explosive
Oxidising	g properties	:	Not oxidizing

# Safety Data Sheet according to Regulation (EC) No. 453/2010

according to Regulation (EC) No. 453/2010	
9.2. Other information	
No data available	
<b>SECTION 10: Stability and reactivity</b>	
10.1. Reactivity	
Stable under normal conditions of use.	
10.2. Chemical stability	
Stable under normal conditions of use.	
10.3. Possibility of hazardous reactions	
None known.	
10.4. Conditions to avoid	
No data available	
10.5. Incompatible materials	
Strong oxidizing agents.	
10.6. Hazardous decomposition products	
None known.	
<b>SECTION 11: Toxicological informat</b>	ion
JJ	
11.1. Information on toxicological effects	
Acute toxicity	: Not classified
Sani-Pak Powder	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rat	> 11000 mg/kg
Halogenated Propylene Glycol (Deodorant-Germicide)	
LD50 oral rat	180 - 400 mg/kg
LD50 dermal rat	1600 mg/kg
LC50 inhalation rat (mg/l)	> 5000 mg/l/4h
Skin corrosion/irritation	: Causes skin irritation
	pH: Not applicable
Eye damage/irritation	: Causes serious eye damage
	pH: Not applicable
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

0 ,	
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

lalogenated Propylene Glycol (Deodorant-Germ	icide)	
C50 fishes	410 mg/l	
EC50 Daphnia	1.6 mg/l 48 hours	
EC50 other aquatic organisms	0.4 - 0.9 mg/l 5, 15, 30 minutes	
ErC50 (algae)	0.65 mg/l 96 hours	

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

#### Sani-Pak Powder

This substance/mixture does not meet the PBT criteria of REACH, annex XIII.
This substance/mixture does not meet the vPvB criteria of REACH, annex XIII.

#### 12.6. Other adverse effects

No additional information available

SECTION 13: Disposal col	
13.1.         Waste treatment method           Regional legislation (waste)         Image: Comparison of the second s	<ul> <li>Dispose of contents/container to comply with applicable local, national and international regulations.</li> </ul>
Waste disposal recommendations	: Comply with local regulations for disposal.
<b>SECTION 14: Transport in</b>	formation
Not a dangerous good in sense of	transport regulations
SECTION 15: Regulatory i	nformation
15.1. Safety, health and envi	ronmental regulations/legislation specific for the substance or mixture
<b>15.1.1. EU-Regulations</b> Contains no REACH candidate sub	ostance
Other regulations, restrictions and regulations	prohibition : Conforms to Regulation (EC) No. 1907/2006, Anex II (REACH), as amended by (EU) No. 453/2010.
<b>15.1.2.</b> National regulations No data available	
15.2. Chemical safety assess	sment
CSA has not been established	
<b>SECTION 16: Other inform</b>	hation
Sources of Key data	: SDS, ECHA.
Abbreviations and acronyms	: ACGIH (American Conference of Governement Industrial Hygienists). ASTM - American Society for Testing and Materials . CAS - Chemical Abstracts Service. CLP - Classification, Labelling an Packaging. CSR - Chemical Safety Report. EEC - European Economic Community. EC - European Community. GHS - Globally Harmonised System. HMIS - Hazardous Materials Identification System. MSDS - Material Safety Data Sheet. OSHA - Occupational Safety and Health Administration. Overland transport (ADR). PEL- Permissible Exposure Level. REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals. Relat - Relative. SDS - Safety Data Sheet . STEL- Short-Term Exposure Limit . TLV- Threshold Limit Value. TWA- Time Weighted Average.
Full text of R-, H- and EUH-phrase	S::
Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4

Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Flam. Liq. 3	flammable liquids Category 3
Skin Corr. 1B	skin corrosion/irritation Category 1B
Skin Irrit. 2	skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitisation Category 1
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H226	Flammable liquid and vapour
H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

This information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. Celeste Industries Corporation assumes no responsibility for personal injury or property damage to vendors, users or third parties caused by the material. Such vendors or users assume all risks associated with the use of the material.