Safety Data Sheet

BIOBOR® JF

Fuel Additives, Inc.

Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product identifier

Product Name

- **Biobor® JF**
- EPA REG. NO. 65217-1.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified use(s)

- Biocide

1.3 Details of the supplier of the safety data sheet

Manufacturer

- Hammonds Fuel Additives, Inc.
  6951 W Little York Rd
  Houston, TX 77040
  United States
  www.biobor.com
  sales@biobor.com

Telephone (General)

- (800) 548-9166

1.4 Emergency telephone number

Manufacturer

ChemTel

Manufacturer

Within United States; Canada; Puerto Rico; US Virgin Islands: 1-800-255-3924 Outside North America: +1-813-248-0585 (Collect calls accepted)

Section 2: Hazards Identification

EU/EEC

According to: Regulation (EC) No 1272/2008 (CLP)/REACH 1907/2006 [amended by 453/2010]
According to: EU Directive 67/548/EEC (DSD) or 1999/45/EC (DPD)

2.1 Classification of the substance or mixture

CLP

- Flammable Liquids 3 - H226
  Serious Eye Damage 1 - H318

DSD/DPD

- Flammable
  Irritant (Xi)
  R10, R41

2.2 Label Elements

CLP

DANGER

Hazard statements

- H226 - Flammable liquid and vapour
  H318 - Causes serious eye damage

Precautionary statements

water/shower.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER or doctor/physician.

Storage/Disposal
- Store in a well-ventilated place. Keep cool.
Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

2.3 Other hazards

OSHA HCS 2012
- Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

Canada

According to: WHMIS

2.1 Classification of the substance or mixture

WHMIS
- Combustible Liquids - B3
Corrosive - E

2.2 Label elements

WHMIS

- Combustible Liquids - B3
Corrosive - E

2.3 Other hazards

WHMIS
- In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).

Section 3 - Composition/Information on Ingredients

3.1 Substances

- Material does not meet the criteria of a substance.

3.2 Mixtures

Composition					
Chemical Name	**Identifiers**	**%**	**LD50/LC50**	**Classifications According to Regulation/Directive**	**Comments**
2,2' - (1-methyltrimethylenedioxy) bis - (4-methyl-1, 3, 2-dioxaborinane)	**CAS:**2665-13-6 **EC Number:**220-198-4	0% TO 95%	NDA	**EU DSD/DPD:** Not Classified **EU CLP:** Not Classified **OSHA HCS 2012:** Not Classified	NDA
2,2' - oxybis (4, 4, 6 - trimethyl-1, 3, 2-dioxaborinane)	**CAS:**14697-50-8 **EC Number:**238-749-2	0% TO 95%	NDA	**EU DSD/DPD:** Not Classified **EU CLP:** Not Classified **OSHA HCS 2012:** Not Classified	NDA

May be referred as
*mixture - Substituted Dioxaborinanes **CAS:**8063-89-6

Vapors may travel to source of ignition and flash back.

Hazardous Combustion Products

- Smoke, soot, and toxic/irritating fumes (i.e., carbon dioxide, carbon monoxide, etc.)

5.3 Advice for firefighters

- Structural firefighters' protective clothing will only provide limited protection.
  Wear positive pressure self-contained breathing apparatus (SCBA).
  Move containers from fire area if you can do it without risk.
  LARGE FIRES: Cool containers with flooding quantities of water until well after fire is out.

Section 6 - Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal Precautions

- Ventilate enclosed areas. Do not walk through spilled material. Wear appropriate personal protective equipment, avoid direct contact. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Emergency Procedures

- As an immediate precautionary measure, isolate spill or leak area for at least 50 meters (150 feet) in all directions. If tank, rail car or tank truck is involved in a fire, ISOLATE for 800 meters (1/2 mile) in all directions; also, consider initial evacuation for 800 meters (1/2 mile) in all directions. LARGE SPILL: Consider initial downwind evacuation for at least 300 meters (1000 feet) ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep unauthorized personnel away. Stay upwind. Keep out of low areas.

6.2 Environmental precautions

- Prevent entry into waterways, sewers, basements or confined areas.

6.3 Methods and material for containment and cleaning up

Containment/Clean-up Measures

- Stop leak if you can do it without risk.
  Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.
  Use clean non-sparking tools to collect absorbed material.
  A vapor suppressing foam may be used to reduce vapors.
  All equipment used when handling the product must be grounded.
  LARGE SPILLS: Dike far ahead of liquid spill for later disposal.
  LARGE SPILLS: Water spray may reduce vapor; but may not prevent ignition in closed spaces.

6.4 Reference to other sections

- Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

Section 7 - Handling and Storage

7.1 Precautions for safe handling

Handling

- Use only in well ventilated areas. Avoid contact with heat and ignition sources. Do not use sparking tools. Take precautionary measures against static charges. All equipment used when handling the product must be grounded. The container is hazardous when empty. Do not use heat, sparks, open flames, torches, cigarettes on or near empty container. Do not reuse empty container without professional cleaning for food, clothing, or products for human or animal consumption or where skin contact can occur. Wear appropriate personal protective equipment, avoid direct contact. Avoid breathing mist, vapours and/or spray. Avoid contact with skin, eyes, and clothing. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco. If container is warm, open bung slowly to release internal pressure.

7.2 Conditions for safe storage, including any incompatibilities

Storage

- Keep container tightly closed. Store in a cool/low-temperature, well-ventilated dry place away from heat and ignition sources. Protect from direct sunlight. WARNING:

Specific Gravity/Relative Density	= 1.05 Water=1	Water Solubility	Moderately soluble
Viscosity	Data lacking	Explosive Properties	Data lacking
Oxidizing Properties:	Data lacking		
Volatility			
Vapor Pressure	Data lacking	Vapor Density	> 1 Air=1
Evaporation Rate	< 1 n-Butyl Acetate = 1		
Flammability			
Flash Point	102 F(38.8889 C) TCC (Tagliabue Closed Cup)	UEL	Data lacking
LEL	Data lacking	Autoignition	Data lacking
Flammability (solid, gas)	Data lacking		
Environmental			
Octanol/Water Partition coefficient	Data lacking		

9.2 Other Information

- No additional physical and chemical parameters noted.

Section 10: Stability and Reactivity

10.1 Reactivity

- No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

- Stable under normal temperatures and pressures.

10.3 Possibility of hazardous reactions

- Hazardous polymerization will not occur.

10.4 Conditions to avoid

- Excess heat, sparks, open flame.

10.5 Incompatible materials

- Water. Oxidizers.

10.6 Hazardous decomposition products

- No data available

Section 11 - Toxicological Information

11.1 Information on toxicological effects

Components		
Naphtha (4.5%)	64742-89-8	**Acute Toxicity:** Ingestion/Oral-Rat LD50 • >5 g/kg; Ingestion/Oral-Woman TDLo • 20 mL/kg; *Lungs, Thorax, or Respiration*:**Acute pulmonary edema**; *Lungs, Thorax, or Respiration*:**Respiratory depression**; *Gastrointestinal*:**Nausea or vomiting**; Ingestion/Oral-Woman TDLo • 20 mL/kg; *Behavioral*:**Somnolence (general depressed activity)**; *Lungs, Thorax, or Respiration*:**Consolidation**; *Gastrointestinal*:**Nausea or vomiting**; Skin-Rabbit LD50 • >3 g/kg; *Sense Organs and Special Senses:Eye*:**Other**; *Behavioral*:**Food intake (animal)**; **Irritation:** Eye-Rabbit • 100 µL • Mild irritation; Skin-Rabbit • 500 µL • Moderate irritation; **Tumorigen / Carcinogen:** Skin-Mouse TDLo • 330 g/kg 88 Week(s)-Intermittent; *Tumorigenic*:**Carcinogenic by RTECS criteria**; *Skin and Appendages:Other*:**Tumors**

GHS Properties	Classification

Section 12 - Ecological Information

12.1 Toxicity

- No data is available on this product.

12.2 Persistence and degradability

- No data is available on this product.

12.3 Bioaccumulative potential

- No data is available on this product.

12.4 Mobility in Soil

- No data is available on this product.

12.5 Results of PBT and vPvB assessment

- No PBT and vPvB assessment has been conducted.

12.6 Other adverse effects

- No studies have been found.

Section 13 - Disposal Considerations

13.1 Waste treatment methods

Product waste

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Packaging waste

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14 - Transport Information

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
DOT	UN1993	Flammable liquids, n.o.s. (mixed dioxaborinanes, naphtha)	3	III	NDA
TDG	UN1993	FLAMMABLE LIQUID, N.O.S. (mixed dioxaborinanes, naphtha)	3	III	NDA
IMO/IMDG	UN1993	FLAMMABLE LIQUID, N.O.S. (mixed dioxaborinanes, naphtha)	3	III	NDA
IATA/ICAO	UN1993	Flammable liquid, n.o.s. (mixed dioxaborinanes, naphtha)	3	III	NDA

14.6 Special precautions for user

- None specified.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

- Data lacking.

14.8 Other information

- This product is not regulated if shipped in containers less than 2.5 gallons.

Section 15 - Regulatory Information

• 2,2' - oxybis (4, 4, 6 - trimethyl-1, 3, 2-dioxaborinane)	8063-89-6	Not Listed

U.S. - CERCLA/SARA - Radionuclides and Their Reportable Quantities

• Naphtha	64742-89-8	Not Listed
• 2,2' - oxybis (4, 4, 6 - trimethyl-1, 3, 2-dioxaborinane)	8063-89-6	Not Listed

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs

• Naphtha	64742-89-8	Not Listed
• 2,2' - oxybis (4, 4, 6 - trimethyl-1, 3, 2-dioxaborinane)	8063-89-6	Not Listed

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs

• Naphtha	64742-89-8	Not Listed
• 2,2' - oxybis (4, 4, 6 - trimethyl-1, 3, 2-dioxaborinane)	8063-89-6	Not Listed

U.S. - CERCLA/SARA - Section 313 - Emission Reporting

• Naphtha	64742-89-8	Not Listed
• 2,2' - oxybis (4, 4, 6 - trimethyl-1, 3, 2-dioxaborinane)	8063-89-6	Not Listed

U.S. - CERCLA/SARA - Section 313 - PBT Chemical Listing

• Naphtha	64742-89-8	Not Listed
• 2,2' - oxybis (4, 4, 6 - trimethyl-1, 3, 2-dioxaborinane)	8063-89-6	Not Listed

United States - California

Environment

U.S. - California - Proposition 65 - Carcinogens List

• Naphtha	64742-89-8	Not Listed
• 2,2' - oxybis (4, 4, 6 - trimethyl-1, 3, 2-dioxaborinane)	8063-89-6	Not Listed

U.S. - California - Proposition 65 - Developmental Toxicity

• Naphtha	64742-89-8	Not Listed
• 2,2' - oxybis (4, 4, 6 - trimethyl-1, 3, 2-dioxaborinane)	8063-89-6	Not Listed

U.S. - California - Proposition 65 - Maximum Allowable Dose Levels (MADL)

• Naphtha	64742-89-8	Not Listed
• 2,2' - oxybis (4, 4, 6 - trimethyl-1, 3, 2-dioxaborinane)	8063-89-6	Not Listed

Safety Data Sheet

BIOBOR® JF

Fuel Additives, Inc.

Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product identifier

Product Name

- **Biobor® JF**
- EPA REG. NO. 65217-1.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified use(s)

- Biocide

1.3 Details of the supplier of the safety data sheet

Manufacturer

- Hammonds Fuel Additives, Inc.
  6951 W Little York Rd
  Houston, TX 77040
  United States
  www.biobor.com
  sales@biobor.com

Telephone (General)

- (800) 548-9166

1.4 Emergency telephone number

Manufacturer

ChemTel

Manufacturer

Within United States; Canada; Puerto Rico; US Virgin Islands: 1-800-255-3924 Outside North America: +1-813-248-0585 (Collect calls accepted)

Section 2: Hazards Identification

EU/EEC

According to: Regulation (EC) No 1272/2008 (CLP)/REACH 1907/2006 [amended by 453/2010]
According to: EU Directive 67/548/EEC (DSD) or 1999/45/EC (DPD)

2.1 Classification of the substance or mixture

CLP

- Flammable Liquids 3 - H226
  Serious Eye Damage 1 - H318

DSD/DPD

- Flammable
  Irritant (Xi)
  R10, R41

2.2 Label Elements

CLP

DANGER

Hazard statements

- H226 - Flammable liquid and vapour
  H318 - Causes serious eye damage

Precautionary statements

water/shower.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER or doctor/physician.

Storage/Disposal
- Store in a well-ventilated place. Keep cool.
Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

2.3 Other hazards

OSHA HCS 2012
- Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

Canada

According to: WHMIS

2.1 Classification of the substance or mixture

WHMIS
- Combustible Liquids - B3
Corrosive - E

2.2 Label elements

WHMIS

- Combustible Liquids - B3
Corrosive - E

2.3 Other hazards

WHMIS
- In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).

Section 3 - Composition/Information on Ingredients

3.1 Substances

- Material does not meet the criteria of a substance.

3.2 Mixtures

Composition					
Chemical Name	**Identifiers**	**%**	**LD50/LC50**	**Classifications According to Regulation/Directive**	**Comments**
2,2' - (1-methyltrimethylenedioxy) bis - (4-methyl-1, 3, 2-dioxaborinane)	**CAS:**2665-13-6 **EC Number:**220-198-4	0% TO 95%	NDA	**EU DSD/DPD:** Not Classified **EU CLP:** Not Classified **OSHA HCS 2012:** Not Classified	NDA
2,2' - oxybis (4, 4, 6 - trimethyl-1, 3, 2-dioxaborinane)	**CAS:**14697-50-8 **EC Number:**238-749-2	0% TO 95%	NDA	**EU DSD/DPD:** Not Classified **EU CLP:** Not Classified **OSHA HCS 2012:** Not Classified	NDA

May be referred as
*mixture - Substituted Dioxaborinanes **CAS:**8063-89-6

Vapors may travel to source of ignition and flash back.

Hazardous Combustion Products

- Smoke, soot, and toxic/irritating fumes (i.e., carbon dioxide, carbon monoxide, etc.)

5.3 Advice for firefighters

- Structural firefighters' protective clothing will only provide limited protection.
  Wear positive pressure self-contained breathing apparatus (SCBA).
  Move containers from fire area if you can do it without risk.
  LARGE FIRES: Cool containers with flooding quantities of water until well after fire is out.

Section 6 - Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal Precautions

- Ventilate enclosed areas. Do not walk through spilled material. Wear appropriate personal protective equipment, avoid direct contact. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Emergency Procedures

- As an immediate precautionary measure, isolate spill or leak area for at least 50 meters (150 feet) in all directions. If tank, rail car or tank truck is involved in a fire, ISOLATE for 800 meters (1/2 mile) in all directions; also, consider initial evacuation for 800 meters (1/2 mile) in all directions. LARGE SPILL: Consider initial downwind evacuation for at least 300 meters (1000 feet) ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep unauthorized personnel away. Stay upwind. Keep out of low areas.

6.2 Environmental precautions

- Prevent entry into waterways, sewers, basements or confined areas.

6.3 Methods and material for containment and cleaning up

Containment/Clean-up Measures

- Stop leak if you can do it without risk.
  Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.
  Use clean non-sparking tools to collect absorbed material.
  A vapor suppressing foam may be used to reduce vapors.
  All equipment used when handling the product must be grounded.
  LARGE SPILLS: Dike far ahead of liquid spill for later disposal.
  LARGE SPILLS: Water spray may reduce vapor; but may not prevent ignition in closed spaces.

6.4 Reference to other sections

- Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

Section 7 - Handling and Storage

7.1 Precautions for safe handling

Handling

- Use only in well ventilated areas. Avoid contact with heat and ignition sources. Do not use sparking tools. Take precautionary measures against static charges. All equipment used when handling the product must be grounded. The container is hazardous when empty. Do not use heat, sparks, open flames, torches, cigarettes on or near empty container. Do not reuse empty container without professional cleaning for food, clothing, or products for human or animal consumption or where skin contact can occur. Wear appropriate personal protective equipment, avoid direct contact. Avoid breathing mist, vapours and/or spray. Avoid contact with skin, eyes, and clothing. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco. If container is warm, open bung slowly to release internal pressure.

7.2 Conditions for safe storage, including any incompatibilities

Storage

- Keep container tightly closed. Store in a cool/low-temperature, well-ventilated dry place away from heat and ignition sources. Protect from direct sunlight. WARNING:

Specific Gravity/Relative Density	= 1.05 Water=1	Water Solubility	Moderately soluble
Viscosity	Data lacking	Explosive Properties	Data lacking
Oxidizing Properties:	Data lacking		
Volatility			
Vapor Pressure	Data lacking	Vapor Density	> 1 Air=1
Evaporation Rate	< 1 n-Butyl Acetate = 1		
Flammability			
Flash Point	102 F(38.8889 C) TCC (Tagliabue Closed Cup)	UEL	Data lacking
LEL	Data lacking	Autoignition	Data lacking
Flammability (solid, gas)	Data lacking		
Environmental			
Octanol/Water Partition coefficient	Data lacking		

9.2 Other Information

- No additional physical and chemical parameters noted.

Section 10: Stability and Reactivity

10.1 Reactivity

- No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

- Stable under normal temperatures and pressures.

10.3 Possibility of hazardous reactions

- Hazardous polymerization will not occur.

10.4 Conditions to avoid

- Excess heat, sparks, open flame.

10.5 Incompatible materials

- Water. Oxidizers.

10.6 Hazardous decomposition products

- No data available

Section 11 - Toxicological Information

11.1 Information on toxicological effects

Components		
Naphtha (4.5%)	64742-89-8	**Acute Toxicity:** Ingestion/Oral-Rat LD50 • >5 g/kg; Ingestion/Oral-Woman TDLo • 20 mL/kg; *Lungs, Thorax, or Respiration*:**Acute pulmonary edema**; *Lungs, Thorax, or Respiration*:**Respiratory depression**; *Gastrointestinal*:**Nausea or vomiting**; Ingestion/Oral-Woman TDLo • 20 mL/kg; *Behavioral*:**Somnolence (general depressed activity)**; *Lungs, Thorax, or Respiration*:**Consolidation**; *Gastrointestinal*:**Nausea or vomiting**; Skin-Rabbit LD50 • >3 g/kg; *Sense Organs and Special Senses:Eye*:**Other**; *Behavioral*:**Food intake (animal)**; **Irritation:** Eye-Rabbit • 100 µL • Mild irritation; Skin-Rabbit • 500 µL • Moderate irritation; **Tumorigen / Carcinogen:** Skin-Mouse TDLo • 330 g/kg 88 Week(s)-Intermittent; *Tumorigenic*:**Carcinogenic by RTECS criteria**; *Skin and Appendages:Other*:**Tumors**

GHS Properties	Classification

Section 12 - Ecological Information

12.1 Toxicity

- No data is available on this product.

12.2 Persistence and degradability

- No data is available on this product.

12.3 Bioaccumulative potential

- No data is available on this product.

12.4 Mobility in Soil

- No data is available on this product.

12.5 Results of PBT and vPvB assessment

- No PBT and vPvB assessment has been conducted.

12.6 Other adverse effects

- No studies have been found.

Section 13 - Disposal Considerations

13.1 Waste treatment methods

Product waste

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Packaging waste

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14 - Transport Information

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
DOT	UN1993	Flammable liquids, n.o.s. (mixed dioxaborinanes, naphtha)	3	III	NDA
TDG	UN1993	FLAMMABLE LIQUID, N.O.S. (mixed dioxaborinanes, naphtha)	3	III	NDA
IMO/IMDG	UN1993	FLAMMABLE LIQUID, N.O.S. (mixed dioxaborinanes, naphtha)	3	III	NDA
IATA/ICAO	UN1993	Flammable liquid, n.o.s. (mixed dioxaborinanes, naphtha)	3	III	NDA

14.6 Special precautions for user

- None specified.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

- Data lacking.

14.8 Other information

- This product is not regulated if shipped in containers less than 2.5 gallons.

Section 15 - Regulatory Information

• 2,2' - oxybis (4, 4, 6 - trimethyl-1, 3, 2-dioxaborinane)	8063-89-6	Not Listed

U.S. - CERCLA/SARA - Radionuclides and Their Reportable Quantities

• Naphtha	64742-89-8	Not Listed
• 2,2' - oxybis (4, 4, 6 - trimethyl-1, 3, 2-dioxaborinane)	8063-89-6	Not Listed

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs

• Naphtha	64742-89-8	Not Listed
• 2,2' - oxybis (4, 4, 6 - trimethyl-1, 3, 2-dioxaborinane)	8063-89-6	Not Listed

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs

• Naphtha	64742-89-8	Not Listed
• 2,2' - oxybis (4, 4, 6 - trimethyl-1, 3, 2-dioxaborinane)	8063-89-6	Not Listed

U.S. - CERCLA/SARA - Section 313 - Emission Reporting

• Naphtha	64742-89-8	Not Listed
• 2,2' - oxybis (4, 4, 6 - trimethyl-1, 3, 2-dioxaborinane)	8063-89-6	Not Listed

U.S. - CERCLA/SARA - Section 313 - PBT Chemical Listing

• Naphtha	64742-89-8	Not Listed
• 2,2' - oxybis (4, 4, 6 - trimethyl-1, 3, 2-dioxaborinane)	8063-89-6	Not Listed

United States - California

Environment

U.S. - California - Proposition 65 - Carcinogens List

• Naphtha	64742-89-8	Not Listed
• 2,2' - oxybis (4, 4, 6 - trimethyl-1, 3, 2-dioxaborinane)	8063-89-6	Not Listed

U.S. - California - Proposition 65 - Developmental Toxicity

• Naphtha	64742-89-8	Not Listed
• 2,2' - oxybis (4, 4, 6 - trimethyl-1, 3, 2-dioxaborinane)	8063-89-6	Not Listed

U.S. - California - Proposition 65 - Maximum Allowable Dose Levels (MADL)

• Naphtha	64742-89-8	Not Listed
• 2,2' - oxybis (4, 4, 6 - trimethyl-1, 3, 2-dioxaborinane)	8063-89-6	Not Listed